1863.

NEW SOUTH WALES.

REGISTRATION OF BIRTHS, DEATHS, & MARRIAGES.

(SEVENTH ANNUAL REPORT.)

Presented to both Houses of Parliament, by Command.

THE REGISTRAR GENERAL *to* THE HONORABLE THE COLONIAL SECRETARY, *transmitting Abstracts of Births, Deaths, and Marriages for the Year* 1862, *with prefatory Report.*

Registrar General's Office,
Sydney, 1 *June,* 1863.

SIR,

In presenting to you the Annual Tables of Births, Marriages, and Deaths registered during the year 1862, under the provisions of the Act 19 Victoria, No. 34, I would take leave to preface them, as on former occasions, with a few analytical remarks explanatory of the results of the year's operations.

2. The year 1862 forms the seventh in which the system of a Civil Registry of Births, Marriages, and Deaths has been in existence in New South Wales. During this period the births of 93,614 children, the marriages of 41,948 persons, and the deaths of 38,306 of the population, of all ages, have been entered on the National records, forming a total of 173,868 registrations. (*See Table at foot.*) Results of the system for the last seven years.

This vast mass of information, collected in all parts of the Colony, has been brought together in the Central Office, and bound up in volumes—the births by themselves, the marriages by themselves, and the deaths by themselves.

Complete indices, arranged alphabetically from the first to the last letters of each name, have been carefully compiled for each year, and the whole work forms a valuable record of the different events incident to human existence, during the period to which they relate. These labours will probably be viewed in future years with an interest far exceeding that which attends them during the process of collection, whilst each succeeding year will enhance the value of the records—by multiplying the number of ascertained facts, by extending the basis of comparison, by storing up and supplying unquestionable evidence upon

TOTAL number of NAMES recorded in the Registers, from 1st March, 1856, to 31st December, 1862, inclusive.

YEAR.	BIRTHS.	PERSONS MARRIED.	DEATHS.	TOTAL NAMES.
1856	8,546	4,584	3,506	16,636
1857	12,503	5,804	4,846	23,153
1858	13,802	5,984	5,883	25,669
1859	14,415	6,590	5,642	26,647
1860	14,233	5,890	6,562	26,685
1861	14,681	6,444	5,343	26,468
1862	15,434	6,652	6,524	28,610
Totals ..	93,614	41,948	38,306	173,868

upon points of importance that may arise as to heirship and inheritance, and, finally, by throwing light upon the laws and progress of population during the period in which the present generation is acting its part on the human stage, and working out the history of the country.

Results of registration in 1862.

3. The births of the year 1862, as recorded in the registers, were 15,434, viz. :— 7,946 boys and 7,488 girls. The marriages numbered 3,326, that is: 6,652 men and women were married, whilst the deaths amounted to 6,524, of which 3,905 were males, and 2,619 were females.

The increase by the excess of births over deaths was 8,910 souls, that is 2·436 per cent. on the estimated population, or 24 to each 1,000 persons living. The births exceeded those of the previous year (1861) by 753. The marriages by 104, and the deaths by 1,181.

Estimate of population, and per centage of births, marriages, and deaths.

4. Estimating the population of the Colony at the middle of the year, at 365,741, at which amount the increase by immigration over emigration, and by births over deaths justifies me in placing it, the birth rate was 4·219 per cent., the marriage rate was 0·909 per cent., and the death rate was 1·783 per cent. of the population.

The birth rate was 0·064 per cent. above that of 1861, but 0·097 per cent. under the average of the five years (1857 to 1861.)

The marriage rate was 0·002 per cent. under that of 1861, and 0·043 below the average of the five years. The death rate was 0·271 per cent. over that of 1861, and 0·029 per cent. above the average of the five years.

The following figures, placed in a tabular form, will exhibit these results more clearly. The calculations are made per 1,000 of the estimated population, for greater simplicity :—

	Births.	Marriages.	Deaths.
1861.....	41·55 per 1,000.....	9·11 per 1,000.....	15·12 per 1,000
1862.....	42·19 per 1,000.....	9·09 per 1,000.....	17·83 per 1,000
Average of five years (1857 to 1861) ...	43·28 per 1,000.....	9·52 per 1,000.....	17·54 per 1,000

The Table at foot, marked A, shews the number of births, marriages, and deaths registered in each quarter of the year, separately arranged for the city, suburban districts, and country districts, respectively.

BIRTHS.

A.

TABLE shewing the number of BIRTHS, MARRIAGES, and DEATHS registered in the Colony of New South Wales during each Quarter of the Year ending 31st December, 1862.

QUARTER ENDED—	BIRTHS.			MARRIAGES.	DEATHS.		
	Males.	Females.	Total.		Males.	Females.	Total.
Sydney—							
31st March	289	276	565	248	192	158	350
30th June	302	258	560	238	191	149	340
30th September	306	302	608	268	157	123	280
31st December	259	242	501	229	230	182	412
TOTAL	1,156	1,078	2,234	983	770	612	1,382
Suburbs—							
31st March	212	199	411	52	92	110	202
30th June	237	241	478	50	104	88	192
30th September	261	263	524	63	85	70	155
31st December	211	201	412	49	117	123	240
TOTAL	921	904	1;825	214	398	391	789
Country Districts—							
31st March	1,418	1,355	2,773	537	692	453	1,145
30th June	1,399	1,316	2,715	506	732	407	1,139
30th September	1,589	1,512	3,101	557	597	357	954
31st December	1,463	1,323	2,786	529	716	399	1,115
TOTALS	5,869	5,506	11,375	2,129	2,737	1,616	4,353
GRAND TOTALS	7,946	7,488	15,434	3,326	3,905	2,619	6,524

BIRTHS.

5. Taking the population, as has been stated, at 365,741, on the 30th June, 1862, the increase of the year (15,434), by births, was at the rate of 4·21 per cent., or 42 to every 1,000 of the population. The male children (7,946) formed 2·17 per cent., and the female children (7,498) formed 2·05 per cent., or, in other words, to every 100 boys there were 94·3 girls born, or 106 boys to 100 girls. Comparing the births of 1862 with those of the five previous years, they are found to be 0·097 per cent., or very nearly *one* to every 1,000 persons living below the average of the five preceding years.

Increase of population compared with former years.

The births registered in Sydney, shew a decrease of 92 on the registrations of the preceding year; those in the Suburban Districts shew a decrease of 13, whilst the births in the Country Districts exhibit an increase of 858. Abundant evidence is hereby afforded of the exodus of families from the Metropolitan to the Country Districts.

6. Table B, at foot, shews the number of births registered in each quarter of the year, for the six years (1857 to 1862). From these figures it would appear that the birth rate in the City was 2·06 per thousand below that of the year before, and 2·83 below the average of the five years, 1857 to 1861, viz:—

Birth rate compared with previous years.

1857.	1858.	1859.	1860.	1861.	1862.
42·00	41·42	43·00	42·01	41·14	39·08

The Suburban birth rate was 3·16 per thousand below that of the previous year and 8·17 per thousand under the average of the five years, viz.:—

1857.	1858.	1859.	1860.	1861.	1862.
56·66	55·77	54·00	55·41	49·27	46·11

The

B.

TABLE shewing the Number of BIRTHS registered in the Colony of New South Wales during each Quarter of the Years 1857 to 1862, inclusive, in the City, Suburban, and Country Districts respectively.

		Estimated Population at the middle of each Year.	31 Mar.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.
Sydney	1857	54,100	526	641	553	552	2,272	42·00
	1858	54,695	524	631	604	507	2,266	41·42
	1859	55,298	645	585	600	548	2,378	43·00
	1860	55,910	588	607	609	545	2,349	42·01
	1861	56,532	476	640	661	549	2,326	41·14
	1862	57,151	565	560	608	501	2,234	39·08
TOTAL		.....	3,324	3,664	3,635	3,202	13,825	.....
Suburban	1857	30,180	394	445	450	427	1,716	56·86
	1858	31,790	400	408	474	491	1,773	55·77
	1859	33,510	453	455	449	456	1,813	54·10
	1860	35,345	426	496	464	431	1,817	55·41
	1861	37,300	363	486	511	478	1,838	49·27
	1862	39,575	411	478	524	412	1,825	46·11
TOTAL		.....	2,447	2,768	2,872	2,695	10,782	.....
Country Districts	1857	205,720	1,971	1,996	2,277	2,271	8,515	41·39
	1858	223,305	2,245	2,353	2,636	2,529	9,763	43·72
	1859	242,052	2,353	2,482	2,788	2,601	10,224	42·24
	1860	239,585	2,326	2,542	2,707	2,492	10,067	42·02
	1861	259,500	2,372	2,399	2,852	2,894	10,517	40·53
	1862	269,015	2,773	2,715	3,101	2,786	11,375	42·28
TOTAL		.....	14,040	14,487	16,361	15,573	60,461	.....
SUMMARY.								
New South Wales	1857	290,000	2,891	3,082	3,280	3,250	12,503	43·11
	1858	309,790	3,169	3,392	3,714	3,527	13,802	44·55
	1859	330,860	3,451	3,522	3,837	3,605	14,415	43·56
	1860	*330,840	3,340	3,645	3,780	3,468	14,233	43·62
	1861	353,332	3,211	3,525	4,024	3,921	14,681	41·55
	1862	365,741	3,749	3,753	4,233	3,699	15,434	42·19
TOTAL		.....	19,811	20,919	22,868	21,470	85,068	.....

* Queensland separated in November, 1859.

The Country birth rate was 1·75 per thousand above that of the previous year, and 0·30 per thousand above the average of the five years, viz. :—

1857.	1858.	1859.	1860.	1861.	1862.
41·39	43·72	42·24	42·02	40·53	42·28

Taking the whole together, we find the birth rate of 1862 to have been 0·64 per thousand above that of 1861, but 1·09 per thousand below the average of the five years, 1857 to 1861, viz. :—

1857.	1858.	1859.	1860.	1861.	1862.
43·11	44·55	43·56	43·62	41·55	42·19

Calculations subject to readjustment.

7. It should be observed that the above calculations are based upon an estimated population at the middle of the year, the estimate being arrived at, as I have previously stated, by taking the excess of births over deaths, and of immigration over emigration *seaward*, and adding the results to the population of the preceding year. There is, however, no means of ascertaining the actual movement of the people from Census to Census, between one division of the Colony and the other; nor yet have I the means of ascertaining the *overland* migration between New South Wales and the adjacent Colonies. The calculations must therefore be accepted as approximations only, to be re-adjusted when the recurrence of the next Census year affords more certain data to go upon.

Illegitimates, twins, and triplets.

8. There were 505 births entered as illegitimate,—this is 3·27 per cent. of the entire births. The births so entered at the Central Office were 115, or 5·10 per cent. of the children born in Sydney. Those in the suburbs were 52, or 2·85 per cent. of the suburban births, whilst those in the country numbered 338, or 2·93 per cent. of the country births. There were three instances of triplets at a birth, and 133 of twins.

MARRIAGES.

Comparison with previous years.

9. The number of marriages celebrated during 1862 was 3,326, being 104 in excess of the marriages (3,222) of 1861, and 255 over the average (3,071) of the five years, 1857 to 1861.

The marriages celebrated in the City of Sydney numbered 983, or 29·56 per cent. of the whole. Those in the Suburban Districts numbered 214, or 6·44 per cent., and those in the Country Districts 2,129, or 64·00 per cent.

The

C.

TABLE shewing the number of CHILDREN born out of wedlock, Triplets, and Twins, during the Year 1862.

	Illegitimate.		Triplets.		Twins.	
	Males.	Females.	Males.	Females.	Males.	Females.
Sydney	59	56	....	....	20	20
Suburban	24	28	....	....	16	10
Country Districts	178	160	....	3	93	*107
	261	244	....	3	129	137
	505		3		266	

* 4 stillborn.

The Table at foot (marked D) exhibits the number of marriages in each of the last six years, arranged quarterly for Sydney, Suburban, and Country Districts.

10. The marriage rate per 1,000 of the population was, for each of the six years, as follows, viz. :— Cause of decrease of marriage rate.

1857.	1858.	1859.	1860.	1861.	1862.
10·00	9·66	9·96	8·90	9·11	9·09

It would appear from these figures that the depression in wages, which is found in all countries prejudicially to affect the matrimonial hopes of the industrial classes, still operates to keep down the marriage rate below what it exhibited in 1857.

11. But there is another, and a more serious cause, to which the decrease of the marriage rate may be assigned. By the Census of 1856 there were found to be 831 females to each 1,000 males in the Colony; by the Census of 1861, the proportion was reduced to 821 females to each 1,000 males;—and it was shewn that the deficiency was confined to females of 20 years old and upwards, the sexes being as nearly as possible equal up to that age.* From 20 years old up to 40 there were, in 1861, exclusive of the Chinese population, 67,454 males to 47,418 females—a deficiency of 20,036 females—giving a proportion of only 297 females to each 1,000 males. Further cause of decrease in the disproportion of the sexes.

12.

* Males, 83,494; females, 83,373.

D.

TABLE shewing the Number of MARRIAGES registered in the Colony of New South Wales during each Quarter of the Years 1857 to 1862.

		Estimated Population at the middle of each Year.	31 Mar.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.
Sydney	1857	54,100	266	258	251	272	1,047	19·35
	1858	54,695	232	280	263	221	996	18·21
	1859	55,298	243	232	244	234	953	17·23
	1860	55,910	247	216	221	228	912	16·31
	1861	56,532	201	246	223	224	894	15·81
	1862	57,151	248	238	268	229	983	17·20
TOTAL		.....	1,437	1,470	1,470	1,408	5,785	.....
Suburban	1857	30,180	50	44	48	38	180	5·96
	1858	31,790	49	46	39	44	178	5·60
	1859	33,510	52	60	53	51	216	6·44
	1860	35,345	41	46	46	54	187	5·29
	1861	37,300	39	50	48	61	198	5·31
	1862	39,575	52	50	63	49	214	5·40
TOTAL		.....	283	296	297	297	1,173	.....
Country Districts	1857	205,720	435	403	424	413	1,675	8·14
	1858	223,305	456	482	478	402	1,818	8·14
	1859	242,052	520	507	579	520	2,126	8·78
	1860	239,585	468	464	434	480	1,846	7·70
	1861	259,500	505	561	549	515	2,130	8·20
	1862	269,015	537	506	557	529	2,129	7·91
TOTAL		.....	2,921	2,923	3,021	2,859	11,724	.....
SUMMARY.								
New South Wales	1857	290,000	751	705	723	723	2,902	10·00
	1858	309,790	737	808	780	667	2,992	9·66
	1859	330,860	815	799	876	805	3,295	9·96
	1860	*330,840	756	726	701	762	2,945	8·90
	1861	353,332	745	857	820	800	3,222	9·11
	1862	365,741	837	794	888	807	3,326	9·09
TOTAL		.....	4,641	4,689	4,788	4,564	18,682	.....

* Queensland separated in November, 1859.

Deficiency in female immigration.

12. Upon reference to the Returns of Immigration (*see Statistical Register for* 1861, *page* 139), it will be seen, that during the five years, 1857 to 1861 inclusive, the adult immigration exhibits a deficiency of no less than 27,851 females; this fact alone is sufficient to account for the decrease in the annual marriage rate since 1857, and it is to the same cause doubtless that the annual birth rate has suffered, as has been shewn in paragraph 6 of this Report.

13. The statement below shews the proportion of marriages celebrated according to the rites of the different Churches in the Colony, as well as those performed by the Registrars, viz. :—

	Marriages.	Per cent.
Church of England	921	27·69
Roman Catholic.....	824	24·47
Presbyterians.....	962	28·92
Wesleyan	219	6·58
Methodist	71	2·13
Congregationalists	69	2·07
Baptists	22	0·66
Unitarian	2	0·06
Hebrew	12	0·36
Registrars	224	6·73
Totals.....	3,326	99·67

The numbers signing the registers with marks were, males, 646, or 19·42 per cent.; females 1,018, or 30·60. I would avail myself of this opportunity to direct attention to the necessity for modification of the Marriage Act, 19 Vic., No. 30, in the following particulars:—1stly,—with the view to requiring a certain notice to be given by the Registrar, when applications are made to him for the celebration of the civil ceremony, so as to prevent clandestine marriages; 2ndly,—with the view of obtaining a more perfect form of marriage certificate, particularly with regard to the ages of the parties, so as to place some check upon the marriage of minors without the consent of their parents. In both these respects the present law is defective, and needs alteration.

DEATHS.

Comparison with former years.

14. The number of deaths registered during the year 1862 amounted to 6,524, viz.,—3,905 males, and 2,619 females.

This number exceeds the registered deaths of 1861 by 1,181, but it is 38 below the mortality of 1860.

The death rate of 1862 was 17·83 to each 1,000 of the estimated population—the average of the five previous years was 17·54 per 1,000.

The comparison will, perhaps, be more clearly exhibited if placed in the following shape, viz :—

In 1857 there died 1 in 60.
1858 „ 1 in 53.
1859 „ 1 in 58.
1860 „ 1 in 50.
1861 „ 1 in 66.
1862 „ 1 in 56.

Table

Table E., at foot, exhibits the deaths in each quarter of the year for the last six years, in City, Suburbs, and Country, respectively.

15. The average mortality of England and Wales is found to be rather over 22 in every 1,000 living—the average of New South Wales is rather over 17, shewing a difference of 5 to every 1,000 persons living, in favour of the Colony; or putting the comparison in another form, in England and Wales about 1 in 46 is the annual average mortality, whilst in New South Wales it is 1 in 57. Comparison with England and Wales.

16. Comparing the deaths in the winter and summer seasons of the year, we find that they confirm the results of previous years, I mean as to the higher rate of mortality in the summer season. The year 1860 is the only exception. The winter of that year was marked by a severe influenza epidemic, followed by measles, which proved unusually fatal to both old and young. The deaths of the two winter quarters of 1862, from the 1st April to 30th September, numbered 3,060, whilst those of the summer quarter (from 1st January to 31st March, and from 1st October to 31st December) reached 3,464—a difference of 404 deaths in the two periods. Comparison of the winter with the summer mortality.

Comparing the quarters, the third (1st July to 30th September) exhibits a remarkably favourable, and the fourth (1st October to 31st December) an unfavourable, comparison with the others, as the following figures will shew, viz.:—

1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
1,697	1,671	1,389	1,767

17. We will now shortly proceed to compare the Metropolitan with the Country Districts. We find that in the three divisions—City, Suburban, and Country—there was a pretty equal increase in the death rate of the year 1862 over its immediate predecessor. Comparison Metropolitan with Country.

Beginning

E.

TABLE shewing the DEATHS registered in the Colony of New South Wales, during each of the years 1857 to 1862, inclusive.

		Estimated Population at the middle of each Year.	31 Mar.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.
Sydney	1857	54,100	343	275	291	408	1,317	24·34
	1858	54,695	453	401	299	494	1,647	30·11
	1859	55,298	394	320	281	411	1,406	25·43
	1860	55,910	393	573	522	338	1,826	32·66
	1861	56,532	300	312	265	372	1,249	22·09
	1862	57,151	350	340	280	412	1,382	24·18
TOTAL		.....	2,233	2,221	1,938	2,435	8,827	.....
Suburban	1857	30,180	197	130	120	179	626	20·74
	1858	31,790	212	181	157	225	775	24·42
	1859	33,510	199	159	110	223	691	20·62
	1860	35,345	208	228	264	198	898	25·41
	1861	37,300	159	152	109	176	596	15·98
	1862	39,575	202	192	155	240	789	19·93
TOTAL		.....	1,177	1,042	915	1,241	4,375	.....
Country Districts	1857	205,720	908	642	667	686	2,903	14·11
	1858	223,305	896	762	900	903	3,461	15·50
	1859	242,052	1,053	848	774	870	3,545	14·65
	1860	239,585	942	1,030	935	931	3,838	16·02
	1861	259,500	880	913	832	873	3,498	13·48
	1862	269,015	1,145	1,139	954	1,115	4,353	16·18
TOTAL		.....	5,824	5,334	5,062	5,378	21,598	.....
SUMMARY.								
New South Wales	1857	290,000	1,448	1,047	1,078	1,273	4,846	16·71
	1858	309,790	1,561	1,344	1,356	1,622	5,883	18·99
	1859	330,860	1,646	1,327	1,165	1,504	5,642	17·05
	1860	*330,840	1,543	1,831	1,721	1,467	6,562	19·83
	1861	353,332	1,339	1,377	1,206	1,421	5,343	15·12
	1862	365,741	1,697	1,671	1,389	1,767	6,524	17·83
TOTAL		.....	9,234	8,597	7,915	9,054	34,800	.....

* Decrease owing to Separation of Queensland.

City.

Beginning with Sydney we find the ratio of deaths for the two years to have been as follows, viz. :—

	Estimated Population.	Deaths.	Ratio per 1,000 living.
1861....	56,532	1,249	22·09
1862.....	57,151	1,382	24·18

The average of the five years (1857 to 1861) was 26·92 per 1,000 living, with which the mortality of 1862 compares very favourably. The average of the entire six years, over which the returns extend, is 26·47 per 1,000. The average of London is about 25 to each 1,000 of the inhabitants, or somewhat under the mortality of Sydney.

Suburbs.

18. Passing on to the Suburban Districts, we find the deaths for the two years to have been as under, viz. :—

	Estimated Population.	Deaths.	Ratio per 1,000.
1861.....	37,300	596	15·98
1862.....	39,575	789	19·93

Shewing an increase in the last year of very nearly 4 in each 1,000. The death rate of 1862 did not, however, reach the average of the five years, 1857 to 1861, which was 21·03 per 1,000 living. The average of the six years, over which period the returns extend, was 21·18, or 5·29 per 1,000 below the mortality of the City.

Metropolitan.

Throwing the City and Suburbs together, we deduce the following results for the six years :—

	Estimated Population.	Deaths.	Rate per 1,000.	Ratio.
1857.....	84,280	1,943	23·05	1 in 43
1858.....	86,485	2,422	28·00	1 „ 35
1859.....	88,808	2,097	23·61	1 „ 42
1860.....	91,255	2,724	29·85	1 „ 33
1861.....	93,832	1,845	19·67	1 „ 51
1862.....	96,726	2,171	22·44	1 „ 44

The average of the six years is 1 in 41 of the population.

Country.

19. The number of deaths registered in the Country Districts was 4,353, viz. :—2,737 males, and 1,616 females. This is the heaviest annual mortality yet recorded; it is no less than 855, or 2·70 per 1,000 living in excess of the deaths of 1861, and 1·43 per 1,000 above the average of the five years, viz. :—

Year.	Estimated Population.	Deaths.	Rate per 1,000 living.	Ratio.
1857.....	205,720	2,903	14·11	1 in 71
1858.....	223,305	3,461	15·50	1 „ 64
1859.....	242,052	3,545	14·65	1 „ 68
*1860... ..	239,585	3,838	16·02	1 „ 62
1861.....	259,500	3,498	13·48	1 „ 74
1862.....	269,015	4,353	16·18	1 „ 61
Average of the five years, 1857 to 1861, inclusive,			14·75	1 „ 68
Average of the six years, 1857 to 1862, inclusive,			14·99	1 „ 67

Mortality topographically compared.

20. In my last Annual Report I entered into an investigation of the relative mortality in the nine great divisions of the Colony. In 1861, however, I had the advantage of the Census upon which to base my calculations. This will not avail me for the same purpose on the present occasion. I have no means of determining the movement of the population between one division of the Colony and another, and must therefore content myself with exhibiting merely the increases of the several divisions respectively. They are as follows, viz. :—

	Deaths.		Increase.	Per Cent.
	1861.	1862.		
1. North-eastern.....	661	857	196	29·
2. North Midland	112	132	20	18·
3. North-western	238	459	221	93·
4. Metropolitan	1,845	2,171	326	18·
5. East Midland.....	912	972	60	7·
6. West Midland	507	656	149	29·
7. South-eastern.....	229	271	42	19·
8. South Midland	719	869	150	21·
9. South-western	120	137	17	14·
	5,343	6,524	1,181	....

The

* Decrease owing to Separation of Queensland.

The very large increase in the deaths registered in the north-western division is attributable to the accession of population at the Lachlan Gold Fields.

21. An inquiry into the proportion of the deaths of infants under two years of age to the number of births registered is one of no mean importance, since upon the degree of care bestowed by parents upon their offspring, during infancy, depends, in a great degree, the annual increment to the population. Infantile mortality.

With regard to the City of Sydney, it would appear, from the following figures, that whilst the deaths under two years were 3·19 per cent. in excess of the mortality of 1861, they were 4·79 per cent. below that of 1860, and 1·74 per cent. below the mortality of the five years, 1857 to 1861.* Sydney.

22. In the Suburban Districts a similar Table exhibits the infantile mortality of 1862 as 4·29 per cent. in excess of the previous year, but 1·63 per cent. below that of 1860, and 0·52 over the average of the five years.† Suburbs.

23. In the Country Districts there is a considerable increase in the infantile mortality observable on the returns of the last and preceding years. The increase over the year 1861 was at the rate of 2·28 per cent., and at the rate of 1·61 per cent. over the deaths of the five years, 1857 to 1861. ‡ Country.

24. If we compare the deaths of infants under two years, in the City and Suburbs, with the infantile mortality in the Country Districts, we cannot fail to observe the very serious sacrifice of infantile life in the Metropolitan division. The results of the registration for the six years, 1857 to 1862, shew an annual average excess at the rate of 13·25 per cent. in Comparison—Metropolitan with Country.

* Table 1.—City of Sydney.

Years.	Births.	Deaths under Two Years.	Per Cent.
1857	2,272	508	22·35
1858	2,266	683	30·14
1859	2,378	559	23·50
1860	2,349	652	27·75
1861	2,326	454	19·77
1862	2,234	513	22·96
	13,825	3,369	24·36

† Table 2.—Suburbs.

Years.	Births.	Deaths under Two Years.	Per Cent.
1857	1,716	331	19·29
1858	1,773	409	23·07
1859	1,813	378	20·85
1860	1,817	412	22·67
1861	1,838	308	16·75
1862	1,825	384	21·04
	10,782	2,222	20·60

‡ Table 3.—New South Wales, exclusive of Sydney and Suburbs.

Years.	Births.	Deaths under Two Years.	Per Cent.
1857	8,515	904	10·62
1858	9,763	1,117	11·44
1859	11,224	1,129	11·04
1860	10,067	1,162	11·54
1861	10,517	1,086	10·32
1862	11,375	1,434	12·60
	61,461	6,832	11·11

in the City, and 9·49 per cent. in the Suburbs, over the deaths in the Country Districts,—the average in each class being as under, viz. :—

Sydney.....	24·36 per cent.
Suburbs	20·60 „
Country	11·11 „

that is to say: the mortality of children under two years, averages nearly *one-fourth* the annual births in the City, rather more than *one-fifth* the annual births in the Suburbs, and somewhat over a *tenth* the annual births in the Country.

Deaths under one year, to the births.

25. We will now proceed to compare the annual deaths with the annual births, and see the proportion of infants that die before they attain the age of twelve months; the Tables at foot, marked F., 1, 2, 3, distinguishing males from females, exhibit the following interesting results, namely: that on the average of the six years, 1857 to 1862, the deaths of boys within the year of birth were at the rate of 17·60 per cent. of the boys born in the City of Sydney; and that the deaths of girls within the year of birth, were at the rate of 16·01 per cent. of the girls born in the City. That 15·27 per cent. of the boys, and 13·79 per cent. of the girls, born in the Suburbs, die within the first year of their existence, and that only 9·18 per cent. of the boys, and 7·56 per cent. of the girls, born in the Country Districts, die within the same period. The difference is more clearly shewn below, viz. :—

	Boys.	Girls.	Difference.
Sydney.....	17·60 per cent.	16·01 per cent.	1·59
Suburbs.....	15.27 „	13·79 „	1·48
Country.....	9·18 „	7·56 „	1·62

26.

F. 1.

SYDNEY.

Year.	Births.		Deaths under One Year.		Rate.		Total.
	Males.	Females.	Males.	Females.	Males.	Females.	
1857	1,124	1,148	192	180	17·08	15·67	16·37
1858	1,152	1,114	246	224	21·35	20·10	20·74
1859	1,237	1,141	201	185	16·24	16·21	16·23
1860	1,191	1,158	235	187	19·73	16·14	17·96
1861	1,197	1,129	174	146	14·53	12·93	13·75
1862	1,156	1,078	193	162	16·69	15·02	15·89

F. 2.

SUBURBS.

Year.	Births.		Deaths under One Year.		Rate.		Total.
	Males.	Females.	Males.	Females.	Males.	Females.	
1857	866	850	130	113	15·01	13·29	14·16
1858	937	836	146	145	15·58	17·34	16·41
1859	909	904	152	121	16·72	13·38	15·05
1860	920	897	143	125	15·54	13·93	14·74
1861	948	890	131	95	13·81	10·67	12·29
1862	921	904	138	128	14·98	14·15	14·57

F. 3.

COUNTRY DISTRICTS.

Year.	Births.		Deaths under One Year.		Rate.		Total.
	Males.	Females.	Males.	Females.	Males.	Females.	
1857	4,276	4,239	393	301	9·19	7·10	8·15
1858	5,037	4,726	526	378	10·44	8·00	9·25
1859	5,254	4,970	473	370	9·00	7·44	8 24
1860	5,103	4,964	464	398	9·09	8·01	8·56
1861	5,363	5,154	417	347	7·77	6·73	7·26
1862	5,869	5,506	562	447	9·57	8·11	8·87

26. By the foregoing figures we learn further that, in early infancy, male life is more liable to disease of a fatal character, than female life, or at all events, is not so well able to resist its attacks; and the remarkable uniformity in the proportions throughout affords ample testimony that this is not a mere casual result, but it would seem to establish the fact as a law of nature. That infantine life is less easy of preservation in towns than it is in the country, is a fact borne out by the experience of all countries, but that male life, whether urban or rural, is more difficult of preservation than female, is a fact which has not commanded such general acceptance.

Infantile mortality to total deaths.

27. The comparative Table at foot exhibits the number of deaths under two years, from two to five years, and the totals under five years, with the per centage that the deaths of each period relatively bear to the total deaths. From this table we glean the following information, namely: that of the total deaths registered in the City of Sydney, during the last six years, 38·16 per cent. referred to infants under two years of age, and 8·48 per cent. to children between two and five years, together making up the mortality of children under five years of age to 46·64 per cent. of the total deaths. Comparing the mortality of children under five years, during 1862, with that of the five previous years, we find a decrease of 3·26 per cent. on the average of those years, viz.:—

City of Sydney.

1857 to 1861 ..... 47·18 per cent.
1862 ..... 43·92 „

Suburban.

28. In the Suburban Districts the average mortality of children under five years, to the total deaths, for the six years, was as follows, viz.:—

Under two years ..... 51·09 per cent.
Two to five years ..... 9·24 „
Average under five years... 60·32 „

Comparing the deaths under five years, of the year 1862, with those of the previous five years, we produce the following results, viz.:—

1857 to 1861 ..... 60·49 per cent.
1862 ..... 59·56 „

shewing a decrease of nearly 1 per cent.

29.

COMPARATIVE TABLE, shewing the INFANTILE MORTALITY for the years 1857 to 1862, inclusive.

	1857.				1858.				1859.				1860.				1861.				1862.			
	Under 2 years.	2 and under 5 years.	Total under 5 years.	TOTAL DEATHS.	Under 2 years.	2 and under 5 years.	Total under 5 years.	TOTAL DEATHS.	Under 2 years.	2 and under 5 years.	Total under 5 years.	TOTAL DEATHS.	Under 2 years.	2 and under 5 years.	Total under 5 years.	TOTAL DEATHS.	Under 2 years.	2 and under 5 years.	Total under 5 years.	TOTAL DEATHS.	Under 2 years.	2 and under 5 years.	Total under 5 years.	TOTAL DEATHS.
Sydney	508	78	586	1,317	683	166	849	1,647	559	117	676	1,406	652	241	893	1,826	454	82	536	1,249	513	94	607	1,382
Per Centage of Total Deaths	38·57	5·92	44·49		41·46	10·07	51·54		39·75	8·32	48·08		35·70	13·19	48·90		36·34	6·56	42·91		37·12	6·80	43·92	
Suburban	331	33	364	626	409	77	486	775	378	63	441	691	412	114	526	898	308	45	353	596	384	86	470	789
Per Centage of Total Deaths	52·87	5·27	58·14		52·77	9·93	62·70		54·70	9·11	63·82		45·87	12·69	58·57		51·67	7·55	59·22		48·66	10·90	59·56	
Country Districts	904	165	1,069	2,903	1,117	190	1,307	3,461	1,129	198	1,327	3,545	1,162	285	1,447	3,838	1,086	316	1,402	3,498	1,434	410	1,844	4,353
Per Centage of Total Deaths	31·14	5·68	36·82		32·27	5·48	37·76		31·84	5·58	37·43		30·27	7·42	37·73		31·04	9·03	40·08		32·94	9·41	42·36	
TOTALS	1,743	276	2,019	4,846	2,209	433	2,642	5,883	2,066	378	2,444	5,642	2,226	640	2,866	6,562	1,848	443	2,291	5,343	2,331	590	2,921	6,524
	35·96	5·69	41·66		37·54	7·36	44·90		36·61	6·69	43·31		33·92	9·75	43·67		34·58	8·29	42·87		35·72	9·04	44·77	

Country.

29. In the Country Districts, if we enter upon a similar inquiry, we find the average of the six years to be as follows, viz. :—

Under two years	31·58	per cent.
Two to five years	7·10	„
Average under five years...	38·69	„

of the total deaths. Comparing 1862 with the five years, 1857 to 1861, we find an increased infantine mortality as follows, viz. :—

1857 to 1861	37·96	per cent.
1862	42·36	„

These figures give an increase of 4·40 per cent. on the average deaths of children under five years of age, during the previous quinquennial period.

Increase of infantine mortality in the Country, evidences the dispersion of families in the interior.

30. It is a noticeable fact, in the Returns of 1861 and 1862, that whilst the proportional mortality of children to the total deaths has decreased in the Metropolitan Division, it has increased in a corresponding ratio in the Country Districts. This is a satisfactory feature, in a social point of view, indicating, as it does most clearly, the exodus of families from the centre to the extremities, and the dispersion of children more equally throughout the Country Districts.

31. To the Appendix Tables I must refer those who wish to pursue the inquiry further, for all the information which the Registers supply, and which it is necessary for them to know. I will merely add, that I have every reason to be satisfied with the careful and complete manner in which the facts are generally registered and furnished by the District Registrars to the Central Office.

I have, &c.,

CHRIS. ROLLESTON,

Registrar General.

APPENDIX TO REGISTRAR GENERAL'S REPORT.

A.

TABLE shewing the number of BIRTHS, MARRIAGES, and DEATHS registered in the Colony of New South Wales during the year ended 31st December, 1862.

	Births.			Marriages.	Deaths.		
	Males.	Females.	Total.		Males.	Females.	Total.
Sydney	1,156	1,078	2,234	983	770	612	1,382
Suburban Districts	921	904	1,825	214	398	391	789
Metropolitan	2,077	1,982	4,059	1,197	1,168	1,003	2,171
Country Districts	5,869	5,506	11,375	2,129	2,737	1,616	4,353
GRAND TOTALS	7,946	7,488	15,434	3,326	3,905	2,619	6,524

B.

TABLE shewing the BIRTHS, MARRIAGES, and DEATHS registered in each District of the Colony of New South Wales, during the year ended 31st December, 1862.

DISTRICTS.	Population, Census, 1861.	Births.			Marriages.	Deaths.		
		Males.	Females.	Total.		Males.	Females.	Total.
I.—NORTH-WESTERN.								
1. Richmond River	1,835	37	30	67	7	8	6	14
2. Grafton	3,306	110	100	210	37	33	25	58
3. M'Leay River	1,963	63	71	134	14	18	15	33
4. Port Macquarie	1,350	26	29	55	6	18	4	22
5. Manning River	3,384	86	74	160	16	17	13	30
6. Port Stephens	1,535	35	32	67	8	11	6	17
7. Dungog	1,757	44	33	77	9	6	3	9
8. Clarence Town	1,031	17	14	31	6	4	9	13
9. Paterson	2,440	55	45	100	17	18	6	24
10. Raymond Terrace	3,535	86	67	153	13	32	26	58
11. Maitland	14,573	362	328	690	172	198	131	329
12. Morpeth	3,874	90	91	181	19	33	21	54
13. Patrick's Plains	5,584	144	135	279	46	60	46	106
14. Merton and Muswellbrook	1,595	55	49	104	17	16	17	33
15. Scone	1,528	26	31	57	15	19	11	30
16. Murrurundi	2,088	52	39	91	22	16	11	27
TOTAL	51,378	1,288	1,168	2,456	424	507	350	857
II.—NORTH MIDLAND.								
1. Tenterfield	1,365	31	33	64	11	4	7	11
2. Wellingrove	1,681	46	31	77	10	14	9	23
3. Armidale	6,630	172	148	320	70	66	32	98
TOTAL	9,676	249	212	461	91	84	48	132
III.—NORTH-WESTERN.								
1. Tamworth	4,852	116	99	215	33	44	31	75
2. Warialda	2,148	33	37	70	14	20	8	28
3. Wee Waa	862	23	30	53	16	16	5	21
4. Cassilis	1,060	18	25	43	7	6	8	14
5. Dubbo	2,959	35	49	84	26	22	12	34
Coonabarabran		14	23	37	5	9	3	12
6. Molong	1,862	28	26	54	4	8	9	17
Condobolin								
Forbes		130	125	255	73	162	96	258
TOTAL	13,743	397	414	811	178	287	172	459
IV.—METROPOLITAN.								
1. City of Sydney	56,840	1,156	1,078	2,234	983	770	612	1,382
2. Balmain	3,947	99	92	191	17	39	42	81
3. Glebe	3,712	114	91	205	12	58	47	105
4. Newtown	4,236	88	97	185	16	49	49	98
5. Redfern and Botany	6,701	248	237	485	45	97	112	209
6. Paddington	6,794	139	151	290	49	66	59	125
7. Concord	2,356	61	61	122	15	24	26	50
8. St. George	5,647	102	107	209	45	44	34	78
9. St. Leonard's	3,453	70	68	138	15	21	22	43
TOTAL	93,686	2,077	1,982	4,059	1,197	1,168	1,003	2,171

B.—continued.

DISTRICTS.	Population, Census, 1861.	Births.			Marriages.	Deaths.		
		Males.	Females.	Total.		Males.	Females.	Total.
V.—East Midland.								
1. Newcastle	7,922	291	268	559	87	101	83	184
2. Wollombi	1,888	43	33	76	13	10	6	16
3. M'Donald River	786	12	10	22	....	4	2	6
4. Brisbane Water	2,346	40	58	98	9	12	10	22
5. Windsor	5,593	136	113	249	44	54	40	94
6. Richmond	3,344	81	71	152	26	15	23	38
7. Penrith	5,984	143	129	272	45	55	43	98
8. Parramatta	9,980	185	186	371	86	135	75	210
9. Ryde	2,103	34	44	78	11	38	15	53
10. Liverpool	3,673	51	58	109	14	99	18	117
11. Campbelltown	2,609	79	70	149	30	21	15	36
12. Camden	5,230	138	124	262	31	38	32	70
13. Picton	3,063	52	51	103	14	19	9	28
Total	54,521	1,285	1,215	2,500	410	601	371	972
VI.—West Midland.								
1. Carcoar	4,995	77	71	148	28	44	16	60
2. Hartley	2,761	63	48	111	28	31	22	53
3. Bathurst	12,616	310	256	566	152	179	113	292
4. Sofala	4,460	59	61	120	12	30	13	43
5. Orange	2,892	74	63	137	35	32	15	47
6. Wellington	1,799	29	27	56	14	18	11	29
7. Tambaroora	2,991	24	21	45	6	9	2	11
8. Mudgee	6,578	172	170	342	57	57	48	105
9. Rylstone	1,471	37	24	61	11	7	9	16
Total	40,563	845	741	1,586	343	407	249	656
VII.—South-eastern.								
1. Wollongong	6,049	130	138	268	49	35	34	69
2. Kiama	5,486	107	148	255	25	24	29	53
3. Berrima	3,237	61	67	128	28	19	15	34
4. Shoalhaven	3,321	75	65	140	16	19	11	30
5. Ulladulla	975	33	26	59	6	3	3	6
6. Broulee	1,983	55	49	104	31	34	18	52
7. Eden	2,324	61	32	93	23	18	9	27
Total	23,375	522	525	1,047	178	152	119	271
VIII.—South Midland.								
1. Braidwood	8,199	237	203	440	69	98	54	152
2. Cooma	3,834	87	69	156	35	28	13	41
3. Bombala	2,054	30	32	62	13	12	6	18
4. Goulburn	9,824	222	219	441	100	98	44	142
5. Albury	3,771	73	49	122	44	35	15	50
6. Gundagai	2,386	42	43	85	10	12	12	24
7. Tumut	3,410	43	79	122	24	29	13	42
8. Yass	4,425	105	109	214	41	47	23	70
9. Queanbeyan	3,612	85	66	151	49	25	21	46
10. Binalong	13,450	132	121	253	43	156	54	210
Young		84	74	158	24	57	17	74
Total	54,965	1,140	1,064	2,204	452	597	272	869
IX.—South-western.								
1. Deniliquin	1,674	23	32	55	16	19	2	21
2. Moama	256	2	2	4	....	....	1	1
3. Moulamein	463	2	8	10	3	3	1	4
4. Balranald	2,003	6	6	12	....	4	2	6
Bourke		2	6	8	1	4	2	6
Hay		18	19	37	5	16	7	23
Wentworth		17	23	40	5	12	4	16
5. Wagga Wagga	2,647	73	71	144	23	44	16	60
Total	7,043	143	167	310	53	102	35	137

B.—continued.

DIVISIONS.	POPULATION, 1861.	BIRTHS.			MARRIAGES.	DEATHS.		
		Males.	Females.	Total.		Males.	Females.	Total.
I. NORTH-EASTERN	51,378	1,238	1,168	2,456	424	507	350	857
II. NORTH MIDLAND	9,676	249	212	461	91	84	48	132
III. NORTH-WESTERN	13,743	397	414	811	178	287	172	459
IV. METROPOLITAN	93,686	2,077	1,982	4,059	1,197	1,168	1,003	2,171
V. EAST MIDLAND	54,521	1,285	1,215	2,500	410	601	371	972
VI. WEST MIDLAND	40,563	845	741	1,586	343	407	249	656
VII. SOUTH-EASTERN	23,375	522	525	1,047	178	152	119	271
VIII. SOUTH MIDLAND	54,965	1,140	1,064	2,204	452	597	272	869
IX. SOUTH-WESTERN	7,043	143	167	310	53	102	35	137
TOTAL, NEW SOUTH WALES	348,950	7,946	7,488	15,434	3,326	3,905	2,619	6,524

C.

MARRIAGES, 1862.

	SYDNEY.		SUBURBAN DISTRICTS.		COUNTRY DISTRICTS.		TOTAL MALES.	TOTAL FEMALES.	TOTAL MARRIAGES.
	Males.	Females.	Males.	Females.	Males.	Females.			
Church of England	154 (13)	154 (16)	91 (10)	91 (10)	676 (148)	676 (172)	.... (171)	.... (198)	921
Roman Catholic	228 (42)	228 (110)	21 (1)	21 (4)	575 (183)	575 (273)	.... (226)	.... (387)	824
Presbyterian	519 (63)	519 (137)	42 (4)	42 (10)	401 (53)	401 (109)	.... (120)	.... (256)	962
Wesleyan	26 (2)	26 (2)	16	16	177 (34)	177 (48)	.... (36)	.... (50)	219
Primitive Methodist	17 (3)	17 (4)	3 (1)	3 (1)	51 (13)	51 (20)	.... (17)	.... (25)	71
Independent	14 (3)	14 (3)	17	17	38 (4)	38 (7)	.... (7)	.... (10)	69
Baptist	8 (2)	8 (1)	7	7 (1)	7	7 (1)	.... (2)	.... (3)	22
Christian Israelite	....	....	....	....	....	....	....	....	....
Unitarian	2	2	....	....	....	....	....	....	2
Hebrew	10 (1)	10 (1)	....	....	2	2	.... (1)	.... (1)	12
Registrar's Offices	5	5	17 (5)	17 (5)	202 (61)	202 (83)	.... (66)	.... (88)	224
TOTALS	983 (129)	983 (274)	214 (21)	214 (31)	2,129 (496)	2,129 (713)	.... (646)	.... (1018)	3,326

N.B.—The smaller figures denote those signing with marks.

D 1.

SUMMARY of DEATHS of MALES registered in NEW SOUTH WALES, from 1st January to 31st December, 1862.

Causes of Death.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?	Total at all Ages.	Per centage on Total Deaths of the Year.
1. Zymotic Diseases	201	122	39	23	19	404	41	13	15	25	27	15	19	15	13	20	13	15	8	10	7	2	2	1	..	5	670	17·15
Sporadic Diseases.																												
2. Of Uncertain Seat	280	25	5	6	2	318	2	10	3	4	11	16	15	26	37	33	20	44	16	4	8	2	..	..	..	8	577	14·77
3. Of Nervous System	215	46	21	7	8	297	12	7	4	10	15	18	17	23	35	33	13	31	14	7	3	1	..	..	..	10	550	14·08
4. Of Respiratory System	77	54	35	31	24	221	37	6	18	30	54	61	37	46	38	49	22	28	17	13	6	3	..	..	..	11	697	17·84
5. Of Circulatory System	4	..	..	1	..	5	3	5	2	3	14	17	15	18	21	11	7	10	8	6	1	..	1	..	..	..	147	3·76
6. Of Digestive Organs	92	80	10	11	7	200	6	6	4	6	11	16	15	18	16	19	13	14	4	6	..	..	1	..	..	3	358	9·16
7. Of Urinary Organs	2	1	2	..	..	5	1	1	..	..	2	1	2	6	3	3	6	5	3	3	2	..	..	..	..	..	43	1·10
8. Of Generative Organs	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
9. Of Locomotive Organs	..	..	..	..	..	..	1	1	..	3	2	2	1	..	1	3	1	2	..	..	..	..	..	..	..	..	17	·43
10. Of Integumentary System	1	..	..	..	..	1	..	..	..	..	1	..	..	..	..	1	1	1	1	2	..	..	..	..	..	1	9	·23
11. Old Age	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11	38	49	30	27	15	9	3	..	182	4·66
12. External Causes	21	17	12	9	9	68	23	29	31	33	52	55	46	50	29	28	18	28	13	14	7	3	1	..	..	29	557	14·26
Unspecified	..	..	1	..	..	1	2	1	2	2	9	5	3	5	6	13	4	8	..	..	..	..	..	..	..	37	98	2·51
Total from all Causes	893	345	125	88	69	1520	128	79	79	116	198	206	170	207	199	213	118	197	122	114	64	38	20	10	3	104	3905	99·95

D 2.

SUMMARY of DEATHS of FEMALES registered in NEW SOUTH WALES, from 1st January to 31st December, 1862.

Causes of Death.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?	Total at all Ages.	Per centage on Total Deaths of the Year.
1. Zymotic Diseases	177	145	39	43	21	425	46	15	15	13	16	12	11	13	8	10	4	6	1	1	2	1	..	..	..	1	600	22·91
Sporadic Diseases.																												
2. Of Uncertain Seat	236	32	8	8	3	287	6	9	8	9	9	12	14	15	18	25	14	11	8	7	2	1	..	..	..	3	458	17·48
3. Of Nervous System	169	51	16	9	5	250	12	1	6	7	2	14	9	12	9	15	7	9	6	4	3	..	..	..	..	..	366	13·97
4. Of Respiratory System	49	38	46	23	22	178	54	13	23	25	37	36	26	27	19	13	11	7	3	2	..	1	..	..	..	4	479	18·28
5. Of Circulatory System	1	1	2	..	..	4	5	2	3	..	4	5	1	6	7	7	3	6	2	1	1	..	..	..	..	..	57	2·17
6. Of Digestive Organs	85	71	17	5	2	180	5	3	6	8	11	9	8	8	11	4	4	9	2	1	..	..	..	..	..	..	269	10·27
7. Of Urinary Organs	..	..	1	..	1	2	..	..	..	..	..	..	..	1	1	..	1	1	..	1	..	..	..	..	..	..	7	·26
8. Of Generative Organs	..		..	..	..	..	..	..	4	11	13	15	12	8	2	..	..	..	..	..	..	..	..	..	..	..	65	2·48
9. Of Locomotive Organs	..	..	..	..	..	..	1	1	2	1	1	2	..	4	..	..	..	1	..	..	..	..	..		..	..	13	·49
10. Of Integumentary System	1	..	..	..	..	1	1	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	4	·15
11. Old Age	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	18	15	18	15	6	4	1	..	82	3·13
12. External Causes	19	16	14	12	5	66	15	7	7	6	13	10	5	8	13	9	7	7	..	1	..	..	..	..	..	1	175	6·68
Unspecified	..	2	2	2	2	8	6	1	1	..	3	1	2	2	1	1	..	1	..	..	1	..	..	..	..	16	44	1·68
Total from all Causes	737	356	145	102	61	1401	151	52	75	80	110	116	89	104	89	84	51	63	40	33	27	18	6	4	1	25	2619	99·95

D 3.

SUMMARY of DEATHS of BOTH SEXES registered in NEW SOUTH WALES, from 1st January to 31st December, 1862.

Causes of Death.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?	Total at all Ages.	Per centage on Total Deaths of the Year.
1. Zymotic Diseases	378	267	78	66	40	829	87	28	30	38	43	27	30	28	21	30	17	21	9	11	9	3	2	1	..	6	1270	19·46
Sporadic Diseases.																												
2. Of Uncertain Seat	516	57	13	14	5	605	8	10	11	13	20	28	29	41	55	58	34	55	24	11	10	3	..	..	..	11	1035	15·86
3. Of Nervous System	384	97	37	16	13	547	24	8	10	17	17	32	26	35	44	48	20	40	20	11	6	1	..	..	..	10	916	14·04
4. Of Respiratory System	126	92	81	54	46	399	91	19	41	55	91	97	63	73	57	62	33	35	20	15	6	4	..	..	..	15	1176	18·02
5. Of Circulatory System	5	1	2	1	..	9	8	7	5	3	18	22	16	24	28	18	10	16	10	7	2	..	1	..	..	..	204	3·12
6. Of Digestive Organs	177	151	27	16	9	380	11	9	10	14	22	25	23	26	27	23	17	23	6	7	..	..	1	..	..	3	627	9·61
7. Of Urinary Organs	2	1	3	..	1	7	1	1	..	..	2	1	2	7	4	3	7	6	3	4	2	..	..	..	..	..	50	0·76
8. Of Generative Organs	..	..	..	..	..	..	..	..	4	11	13	15	12	8	2	..	..	..	..	..	..	..	..	..	..	..	65	0·99
9. Of Locomotive Organs	..	..	..	..	..	..	2	2	2	4	3	4	1	4	1	3	1	3	..	..	..	..	..	..	..	..	30	0·46
10. Of Integumentary System	2	..	..	..	..	2	1	..	..	..	2	..	1	..	..	1	1	1	1	2	..	..	..	..	..	1	13	0·19
11. Old Age	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	16	56	64	48	42	21	13	4	..	264	4·04
12. External Causes	40	33	26	21	14	134	38	36	38	39	65	65	51	58	42	37	25	35	13	15	7	3	1	..	..	30	732	11·22
Unspecified	..	2	3	2	2	9	8	2	3	2	12	6	5	7	7	14	4	9	..	..	1	..	..	..	..	53	142	2·17
Total from all Causes	1630	701	270	190	130	2921	279	131	154	196	308	322	259	311	288	297	169	260	162	147	91	56	26	14	4	129	6524	99·94

E 1.

SUMMARY of DEATHS of MALES registered in SYDNEY, from 1st January to 31st December, 1862.

Causes of Death.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?	Total at all Ages.	Per centage on Total Deaths of the year.
1. Zymotic Diseases	49	26	3	3	5	86	5	1	4	5	6	..	1	6	1	3	3	4	4	5	2	..	1	..	..	..	137	17·79
Sporadic Diseases.																												
2. Of Uncertain Seat	64	5	..	..	..	69	..	..	1	1	1	3	2	8	9	4	2	3	2	1	2	..	..	..	..	..	108	14·02
3. Of Nervous System	40	10	4	1	4	59	5	2	1	3	3	5	4	5	5	9	3	5	2	1	1	..	..	..	..	..	113	14·67
4. Of Respiratory System	16	11	5	5	3	40	3	..	2	11	23	27	13	11	8	10	4	5	1	1	2	..	..	..	..	..	161	20·91
5. Of Circulatory System	1	..	..	1	..	2	..	2	..	..	4	6	4	5	4	1	1	1	1	3	1	..	..	..	..	..	35	4·54
6. Of Digestive Organs	20	24	2	5	2	53	2	3	1	5	1	3	6	7	6	4	4	3	1	1	..	..	..	..	..	..	100	12·98
7. Of Urinary Organs	..	..	..	..	..	..	..	1	..	..	..	..	1	2	..	2	2	..	1	1	1	..	..	..	..	..	11	1·42
8. Of Generative Organs	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....
9. Of Locomotive Organs	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	3	·38
10. Of Integumentary System	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	2	·26
11. Old Age	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	5	7	4	1	2	..	..	..	20	2·60
12. External Causes	3	3	2	..	..	8	1	2	4	5	4	7	2	6	4	4	3	7	1	1	..	..	..	..	..	2	61	7·92
Unspecified	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	18	19	2·46
Total from all Causes	193	79	16	15	14	317	17	12	13	30	44	51	33	50	37	38	22	30	18	21	13	1	3	..	..	20	770	99·95

E 2.

SUMMARY of DEATHS of FEMALES, registered in SYDNEY, from 1st January to 31st December, 1862.

Causes of Death.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?	Total at all Ages.	Per centage on Total Deaths of the year.
1. Zymotic Diseases	39	35	6	6	3	89	9	1	4	2	5	3	2	4	..	3	1	3	..	..	1	1	..	..	..	..	128	20·91
Sporadic Diseases.																												
2. Of Uncertain Seat	49	8	2	2	1	62	..	2	1	1	2	3	4	2	4	4	5	3	1	3	..	..	..	..	..	..	97	15·84
3. Of Nervous System	39	13	5	3	1	61	7	..	..	3	1	4	5	..	4	3	2	4	1	2	1	..	..	..	..	..	98	16·01
4. Of Respiratory System	6	6	10	4	2	28	6	..	8	13	16	14	7	8	4	3	2	4	..	..	..	1	..	..	..	..	114	18·62
5. Of Circulatory System	..	..	1	..	..	1	1	..	1	..	1	3	..	1	2	4	2	2	..	..	..	..	..	..	..	..	18	2·94
6. Of Digestive Organs	24	16	3	..	..	43	1	1	3	2	6	2	4	4	3	1	2	4	1	..	..	..	..	..	..	..	77	12·58
7. Of Urinary Organs	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..	..	..	..	..	..	3	·49
8. Of Generative Organs	..	..	..	..	..	..	..	..	1	2	4	2	4	..	..	..	..	..	..	..	..	..	..	..	..	..	13	2·12
9. Of Locomotive Organs	..	..	..	..	..	..	..	..	1	1	1	2	..	1	..	..	..	1	..	..	..	..	..	..	..	..	7	1·14
10. Of Integumentary System	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....
11. Old Age	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	6	6	3	2	2	..	..	..	20	3·26
12. External Causes	5	1	..	..	..	6	1	..	..	1	2	2	..	1	3	2	1	1	..	..	..	..	..	..	..	..	20	3·26
Unspecified	..	..	..	..	..	..	1	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	14	17	2·77
Total from all Causes	162	79	27	15	7	290	26	4	19	25	39	36	26	22	20	20	15	24	9	12	5	4	2	..	..	14	612	99·94

E 3.

SUMMARY of DEATHS of BOTH SEXES, registered in SYDNEY, from 1st January to 31st December, 1862.

Causes of Death.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?	Total at all Ages.	Per centage on Total Deaths of the year.
1. Zymotic Diseases	88	61	9	9	8	175	14	2	8	7	11	3	3	10	1	6	4	7	4	5	3	1	1	..	..	..	265	19·17
Sporadic Diseases.																												
2. Of Uncertain Seat	113	13	2	2	1	131	..	2	2	2	3	6	6	10	13	8	7	6	3	4	2	..	..	..	..	..	205	14·83
3. Of Nervous System	79	23	9	4	5	120	12	2	1	6	4	9	9	5	9	12	5	9	3	3	2	..	..	..	..	..	211	15·26
4. Of Respiratory System	22	17	15	9	5	68	9	..	10	24	39	41	20	19	12	13	6	9	1	1	2	1	..	..	..	..	275	19·89
5. Of Circulatory System	1	..	1	1	..	3	1	2	1	..	5	9	4	6	6	5	3	3	1	3	1	..	..	..	..	..	53	3·83
6. Of Digestive Organs	44	40	5	5	2	96	3	4	4	7	7	5	10	11	9	5	6	7	2	1	..	..	..	..	..	..	177	12·80
7. Of Urinary Organs	..	..	..	..	..	..	..	1	..	..	..	..	1	3	..	2	2	1	1	2	1	..	..	..	..	..	14	1·01
8. Of Generative Organs	..	..	..	..	..	..	..	..	1	2	4	2	4	..	..	..	..	..	..	..	..	..	..	..	..	..	13	·94
9. Of Locomotive Organs	..	..	..	..	..	..	..	1	1	1	2	2	..	1	..	..	..	2	..	..	..	..	..	..	..	..	10	·72
10. Of Integumentary System	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	2	·14
11. Old Age	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	11	13	7	3	4	..	..	..	40	2·89
12. External Causes	8	4	2	..	..	14	2	2	4	6	6	9	2	7	7	6	4	8	1	1	..	..	..	..	..	2	81	5·86
Unspecified	..	..	..	..	..	..	2	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	32	36	2·60
Total from all Causes	355	158	43	30	21	607	43	16	32	55	83	87	59	72	57	58	37	54	27	33	18	5	5	..	..	34	1382	99·94

F 1.

SUMMARY of DEATHS of MALES registered in SUBURBAN DISTRICTS, from 1st January to 31st December, 1862.

Causes of Death.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?	Total at all Ages.	Per centage on Total Deaths of the year.
1. Zymotic Diseases	29	17	5	3	2	56	3	..	..	..	..	2	3	1	1	1	1	..	2	3	1	1	..	1	..	..	76	19·09
Sporadic Diseases.																												
2. Of Uncertain Seat	48	7	2	2	..	59	..	1	..	..	2	1	3	2	1	1	..	2	3	..	..	..	..	..	..	1	76	19·09
3. Of Nervous System	34	7	3	1	1	46	1	1	2	..	1	1	1	4	2	3	1	3	2	1	..	..	..	..	..	..	69	17·33
4. Of Respiratory System	10	4	5	3	3	25	4	..	2	1	5	3	6	6	5	3	6	..	3	..	..	1	..	..	..	..	70	17·58
5. Of Circulatory System	1	..	..	..	..	1	2	..	..	1	..	3	..	3	3	1	1	..	..	..	..	..	..	..	..	..	15	3·77
6. Of Digestive Organs	15	14	1	2	..	32	..	..	..	..	..	..	1	2	2	3	1	1	1	..	..	..	1	..	..	..	44	11·05
7. Of Urinary Organs	..	..	..	..	..	..	..	..	..	..	2	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	4	1·00
8. Of Generative Organs	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....
9. Of Locomotive Organs	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	2	·50
10. Of Integumentary System	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	2	·50
11. Old Age	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	3	5	1	2	..	..	..	14	3·51
12. External Causes	1	1	..	..	..	2	3	1	3	1	2	3	1	5	..	1	..	2	1	..	..	..	..	..	..	1	26	6·53
Unspecified	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....
Total from all Causes	138	50	16	11	6	221	13	3	7	4	12	13	15	24	15	13	12	11	12	8	6	3	3	1	..	2	398	99·95

F 2.

SUMMARY of DEATHS of FEMALES registered in SUBURBAN DISTRICTS, from 1st January to 31st December, 1862.

Causes of Death.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?	Total at all Ages.	Per centage on Total Deaths of the year.
1. Zymotic Diseases	35	22	3	10	2	72	2	..	3	1	1	3	4	1	3	..	..	1	..	..	..	..	..	..	..	..	91	23·27
Sporadic Diseases.																												
2. Of Uncertain Seat	49	10	1	2	..	62	..	1	..	1	2	3	3	1	2	2	2	3	2	1	..	..	..	..	..	..	85	21·73
3. Of Nervous System	24	10	3	3	..	40	2	..	..	1	..	3	..	5	1	2	..	1	1	..	..	..	..	..	..	..	56	14·32
4. Of Respiratory System	6	5	8	3	4	26	5	..	4	2	6	7	4	5	4	2	1	..	..	1	..	..	..	..	..	..	67	17·13
5. Of Circulatory System	..	..	1	..	..	1	..	..	1	..	3	..	..	1	1	..	..	..	1	..	..	..	..	..	..	..	8	2·04
6. Of Digestive Organs	12	21	7	2	..	42	2	..	..	..	..	6	1	..	3	..	..	..	..	..	..	..	..	..	..	..	54	13·81
7. Of Urinary Organs	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	·25
8. Of Generative Organs	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	·51
9. Of Locomotive Organs	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	·25
10. Of Integumentary System	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....
11. Old Age	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	3	1	2	1	..	..	..	10	2·55
12. External Causes	2	..	..	3	..	5	1	..	..	..	3	..	2	1	..	2	..	2	..	..	..	..	..	..	..	..	16	4·09
Unspecified	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....
Total from all Causes	128	68	23	23	7	249	12	1	9	6	15	23	14	14	14	8	3	7	6	3	3	1	2	1	..	..	391	99·95

F 3.

SUMMARY of DEATHS of BOTH SEXES registered in SUBURBAN DISTRICTS, from 1st January to 31st December, 1862.

Causes of Death.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?	Total at all Ages.	Per centage on Total Deaths of the year.
1. Zymotic Diseases	64	39	8	13	4	128	5	..	3	1	1	5	7	2	4	1	1	1	2	3	1	1	..	1	..	..	167	21·16
Sporadic Diseases.																												
2. Of Uncertain Seat	97	17	3	4	..	121	..	2	..	1	4	4	6	3	3	3	2	5	5	1	..	..	..	..	..	1	161	20·40
3. Of Nervous System	58	17	6	4	1	86	3	1	2	1	1	4	1	9	3	5	1	4	3	1	..	..	..	..	..	..	125	15·84
4. Of Respiratory System	16	9	13	6	7	51	9	..	6	3	11	10	10	11	9	5	7	..	3	1	..	1	..	..	..	..	137	17·36
5. Of Circulatory System	1	..	1	..	..	2	2	..	1	1	3	3	..	4	4	1	1	..	1	..	..	..	..	..	..	..	23	2·91
6. Of Digestive Organs	27	35	8	4	..	74	2	..	..	..	..	6	2	2	5	3	1	1	1	..	..	..	1	..	..	..	98	12·42
7. Of Urinary Organs	..	..	..	..	1	1	..	..	..	..	2	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	5	·63
8. Of Generative Organs	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	·25
9. Of Locomotive Organs	..	..	..	..	..	..	..	..	1	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	3	·38
10. Of Integumentary System	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	2	·25
11. Old Age	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	2	4	8	2	4	1	..	..	24	3·04
12. External Causes	3	1	..	3	..	7	4	1	3	1	5	3	3	6	..	3	..	4	1	..	..	..	..	..	..	1	42	5·32
Unspecified	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....
Total from all Causes	266	118	39	34	13	470	25	4	16	10	27	36	29	38	29	21	15	18	18	11	9	4	5	2	..	2	789	99·96

G 1.

SUMMARY of DEATHS of MALES registered in COUNTRY DISTRICTS, from 1st January to 31st December, 1862.

Causes of Death.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?	Total at all Ages.	Per centage on Total Deaths of the year.
1. Zymotic Diseases	123	79	31	17	12	262	33	12	11	20	21	13	15	8	11	16	9	11	2	2	4	1	1	..	..	5	457	16·69
Sporadic Diseases.																												
2. Of Uncertain Seat	168	13	3	4	2	190	2	9	2	3	8	12	10	16	27	28	18	39	11	3	6	2	..	..	..	7	393	14·35
3. Of Nervous System	141	29	14	5	3	192	6	4	1	7	11	12	12	14	28	21	9	23	10	5	2	1	..	..	..	10	368	13·44
4. Of Respiratory System	51	39	25	23	18	156	30	6	14	18	26	31	18	29	25	36	12	23	13	12	4	2	..	..	..	11	466	17·02
5. Of Circulatory System	2	..	..	..	..	2	1	3	2	2	10	8	11	10	14	9	5	9	7	3	..	..	1	..	..	..	97	3·54
6. Of Digestive Organs	57	42	7	4	5	115	4	3	3	1	10	13	8	9	8	12	8	10	2	5	..	..	..	..	..	3	214	7·81
7. Of Urinary Organs	2	1	2	..	..	5	1	..	..	..	..	1	1	3	3	1	3	5	2	2	1	..	..	..	..	..	28	1·02
8. Of Generative Organs	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....
9. Of Locomotive Organs	..	..	..	..	..	..	1	..	..	2	1	2	1	..	..	3	1	1	..	..	..	..	..	..	..	..	12	·43
10. Of Integumentary System	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	1	1	..	..	..	..	..	1	5	·18
11. Old Age	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	33	39	21	25	11	9	3	..	148	5·41
12. External Causes	17	13	10	9	9	58	19	26	24	27	46	45	43	39	25	23	15	19	11	13	7	3	1	..	..	26	470	17·17
Unspecified	..	..	1	..	..	1	1	1	2	2	9	5	3	5	6	13	4	8	..	..	..	..	..	..	..	19	79	2·88
Total from all Causes	562	216	93	62	49	982	98	64	59	82	142	142	122	133	147	162	84	156	92	85	45	34	14	9	3	82	2737	99·94

G 2.

SUMMARY of DEATHS of FEMALES registered in COUNTRY DISTRICTS, from 1st January to 31st December, 1862.

Causes of Death.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?	Total at all Ages.	Per centage on Total Deaths of the year.
1. Zymotic Diseases	103	88	30	27	16	264	35	14	8	10	10	6	5	8	5	7	3	2	1	1	1	..	..	..	..	1	381	23·57
Sporadic Diseases.																												
2. Of Uncertain Seat	138	14	5	4	2	163	6	6	7	7	5	6	7	12	12	19	7	5	5	3	2	1	..	..	..	3	276	17·08
3. Of Nervous System	106	28	8	3	4	149	3	1	6	3	1	7	4	7	4	10	5	4	4	2	2	..	..	..	..	..	212	13·12
4. Of Respiratory System	37	27	28	16	16	124	43	13	11	10	15	15	15	14	11	8	8	3	3	1	..	..	..	..	..	4	298	18·44
5. Of Circulatory System	1	1	..	..	..	2	4	2	1	..	..	2	1	4	4	3	1	4	1	1	1	..	..	..	..	..	31	1·91
6. Of Digestive Organs	49	34	7	3	2	95	2	2	3	6	5	1	3	4	5	3	2	5	1	1	..	..	..	..	..	..	138	8·54
7. Of Urinary Organs	..	..	1	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	3	·18
8. Of Generative Organs	..	..	..	..	..	..	..	..	3	8	9	12	8	8	2	..	..	..	..	..	..	..	..	..	..	..	50	3·09
9. Of Locomotive Organs	..	..	..	..	..	..	1	1	..	..	..	..	..	3	..	..	..	..	..	..	..	..	..	..	..	..	5	·31
10. Of Integumentary System	1	..	..	..	..	1	1	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	4	·24
11. Old Age	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	10	8	12	12	2	3	1	..	52	3·21
12. External Causes	12	15	14	9	5	55	13	7	7	5	8	8	3	6	10	5	6	4	..	1	..	..	..	..	..	1	139	8·60
Unspecified	..	2	2	2	2	8	5	1	1	..	2	..	2	2	1	1	..	1	..	..	1	..	..	..	..	2	27	1·67
Total from all Causes	447	209	95	64	47	862	113	47	47	49	56	57	49	68	55	56	33	32	25	18	19	13	2	3	1	11	1616	99·96

G 3.

SUMMARY of DEATHS of BOTH SEXES registered in COUNTRY DISTRICTS, from 1st January to 31st December, 1862.

Causes of Death.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?	Total at all Ages.	Per centage on Total Deaths of the year.
1. Zymotic Diseases	226	167	61	44	28	526	68	26	19	30	31	19	20	16	16	23	12	13	3	3	5	1	1	..	..	6	838	19·25
Sporadic Diseases.																												
2. Of Uncertain Seat	306	27	8	8	4	353	8	15	9	10	13	18	17	28	39	47	25	44	16	6	8	3	..	..	..	10	669	15·36
3. Of Nervous System	247	57	22	8	7	341	9	5	7	10	12	19	16	21	32	31	14	27	14	7	4	1	..	..	..	10	580	13·32
4. Of Respiratory System	88	66	53	39	34	280	73	19	25	28	41	46	33	43	36	44	20	26	16	13	4	2	..	..	..	15	764	17·55
5. Of Circulatory System	3	1	..	..	..	4	5	5	3	2	10	10	12	14	18	12	6	13	8	4	1	..	1	..	..	..	128	2·94
6. Of Digestive Organs	106	76	14	7	7	210	6	5	6	7	15	14	11	13	13	15	10	15	3	6	..	..	..	..	..	3	352	8·08
7. Of Urinary Organs	2	1	3	..	..	6	1	..	..	..	..	1	1	3	4	1	4	5	2	2	1	..	..	..	..	..	31	·71
8. Of Generative Organs	..	..	..	..	..	..	..	..	3	8	9	12	8	8	2	..	..	..	..	..	..	..	..	..	..	..	50	1·14
9. Of Locomotive Organs	..	..	..	..	..	..	2	1	..	2	1	2	1	3	..	3	1	1	..	..	..	..	..	..	..	..	17	·39
10. Of Integumentary System	2	..	..	..	..	2	1	..	..	..	1	..	1	..	..	..	..	1	1	1	..	..	..	..	..	1	9	·20
11. Old Age	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11	43	47	33	37	13	12	4	..	200	4·59
12. External Causes	29	28	24	18	14	113	32	33	31	32	54	53	46	45	35	28	21	23	11	14	7	3	1	..	..	27	609	13·99
Unspecified	..	2	3	2	2	9	6	2	3	2	11	5	5	7	7	14	4	9	..	..	1	..	..	..	..	21	106	2·43
Total from all Causes	1009	425	188	126	96	1844	211	111	106	131	198	199	171	201	202	218	117	188	117	103	64	47	16	12	4	93	4353	99·95

H 1.

TABLE shewing the actual number of DEATHS of MALES and FEMALES, from various causes, Registered in SYDNEY during each of the Twelve Months, from 1st January to 31st December, 1862, together with the per centage of the total Deaths of the Year, from each Disease, to the aggregate Deaths of the entire Class to which such Disease belongs.

DISEASES.	JANUARY		FEB.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPT.		OCT.		NOV.		DEC.		TOTAL.		GRAND TOTAL.	PER CENTAGE OF TOTAL DEATHS OF THE CLASS.
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
I.—ZYMOTIC.																												
1. Small Pox	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
2. Measles	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	·37
3. Scarlatina	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	...	1	...	1	...	...	...	1	...	6	6	2·26
4. Hooping Cough	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	1	1	1	...	2	...	1	3	7	4	11	4·15
5. Croup	...	1	1	...	...	...	1	...	2	3	2	...	1	2	1	1	...	2	1	1	1	1	...	2	10	13	23	8·68
6. Thrush	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	2	2	·75
7. Diarrhœa	10	9	3	5	5	6	1	4	4	5	1	5	1	...	2	2	...	2	5	3	16	4	8	18	56	63	119	44·90
8. Dysentery	5	...	1	3	6	3	3	3	2	3	4	4	2	2	2	1	1	...	5	2	3	...	4	2	38	23	61	23·01
9. Cholera	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2	.75
10. Influenza	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	·37
11. Ague	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
12. Remittent Fever	...	...	2	...	...	...	1	...	...	...	...	2	...	...	2	1	2	...	1	1	1	...	1	...	10	4	14	5·28
13. Typhus	1	1	...	...	...	...	...	1	1	...	...	2	...	1	1	...	...	...	1	2	...	...	2	2	6	9	15	5·66
14. Erysipelas	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	4	...	...	...	...	...	5	...	5	1·88
15. Syphilis	1	...	...	1	...	...	...	...	...	...	...	1	...	1	...	...	...	...	1	...	...	...	...	...	2	3	5	1·88
16. Hydrophobia	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
Monthly Totals of the Class...	17	11	8	10	13	9	6	9	9	13	7	14	6	6	9	6	4	6	19	10	23	6	16	28	137	128	265	99·94
II.—OF UNCERTAIN OR VARIABLE SEAT.																												
17. Inflammation	...	...	...	...	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	...	4	1·95
18. Hæmorrhage	1	...	1	...	1	1	...	...	...	...	2	...	1	1	1	...	...	...	2	...	1	...	1	...	11	2	13	6·34
19. Dropsy	1	1	...	...	...	...	1	1	...	...	...	1	...	...	...	...	...	...	...	1	...	1	3	...	5	5	10	4·87
20. Abscess	1	1	...	1	...	...	...	...	...	...	...	1	...	...	...	1	...	1	...	...	...	1	...	1	1	7	8	3·90
21. Mortification	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	2	1	3	1·46
22. Purpura	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	·48
23. Scrofula	...	1	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	1	3	4	1·95
24. Carcinoma	1	1	2	...	...	...	...	2	1	1	...	1	1	...	...	...	2	...	...	1	...	...	...	...	7	6	13	6·34
25. Tumour	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	1	1	2	·97
26. Gout	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	·48
27. Atrophy	2	1	...	2	...	1	...	...	1	2	2	3	1	3	...	...	...	1	1	...	2	3	2	7	11	23	34	16·58
28. Debility	3	5	5	4	5	8	6	1	6	3	7	1	4	7	4	5	5	2	6	3	4	1	5	6	60	46	106	51·70
29. Malformation	1	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	1	1	4	2	6	2·92
30. Sudden Death	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
Monthly Totals of the Class...	11	10	9	7	7	11	7	4	12	6	12	7	7	11	8	6	7	4	9	8	7	7	12	16	108	97	205	99·94
III.—OF THE NERVOUS SYSTEM.																												
31. Cephalitis	...	...	1	...	2	...	1	...	1	...	1	1	...	...	...	1	...	...	2	...	1	...	...	...	9	2	11	5·21
32. Hydrocephalus	2	1	1	1	1	2	4	2	2	1	3	...	1	3	...	2	1	1	3	1	1	...	5	5	24	19	43	20·37
33. Apoplexy	1	1	1	1	2	...	2	...	3	1	1	1	1	...	3	2	...	...	1	2	...	...	...	...	15	8	23	10·90
34. Paralysis	...	1	...	...	...	...	...	...	...	...	...	1	1	...	...	1	...	1	...	...	...	...	...	...	1	4	5	2·37
35. Convulsions	3	3	1	3	5	6	4	2	2	5	1	4	2	3	4	1	2	3	4	5	3	3	4	2	35	40	75	35·54
36. Tetanus	...	...	3	...	...	...	...	1	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	4	2	6	2·84
37. Chorea	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
38. Epilepsy	...	...	...	...	1	1	...	...	1	...	1	...	...	...	...	1	...	...	1	1	...	...	1	1	5	4	9	4·26
39. Insanity	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
40. Delirium Tremens	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	1	...	...	...	2	1	3	1·42
41. Brain, Disease of	1	1	...	1	2	3	1	...	...	2	2	3	1	1	3	...	1	2	...	...	3	2	1	2	15	17	32	15·16
*41. Spine, Disease of	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	3	1	4	1·89
Monthly Totals of the Class...	7	7	7	6	13	12	13	5	10	9	9	11	7	8	10	8	5	8	12	9	9	5	11	10	113	98	211	99·96
IV.—OF THE RESPIRATORY ORGANS.																												
42. Laryngitis	...	...	1	...	...	...	1	...	1	1	2	...	1	...	1	...	...	...	...	...	...	...	...	1	7	2	9	3·27
43. Quinsy	1	2	...	1	1	4	2	3	2	5	2	3	2	1	4	1	2	...	...	4	...	...	1	...	17	24	41	14·90
44. Bronchitis	...	2	1	1	3	2	4	1	2	1	1	1	4	3	4	2	1	1	2	1	1	1	1	...	24	16	40	14·54
45. Pleurisy	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
46. Pneumonia	1	1	2	...	2	...	3	...	3	1	2	...	3	1	3	1	1	...	4	2	1	...	5	1	30	7	37	13·45
47. Hydrothorax	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	2	·72
48. Asthma	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2	·72
49. Phthisis, or Consumption...	2	1	5	4	2	3	4	2	3	3	5	6	6	3	5	6	5	4	4	7	8	8	2	3	51	50	101	36·72
50. Lungs, Disease of	4	1	1	...	...	3	3	1	5	4	4	1	1	1	2	1	3	1	1	1	5	...	...	...	29	14	43	15·63
Monthly Totals of the Class...	10	7	10	6	8	12	17	7	17	15	16	12	17	9	19	11	12	6	11	15	15	9	9	5	161	114	275	99·95
V.—OF THE ORGANS OF CIRCULATION.																												
51. Pericarditis	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2	3·77
52. Aneurism	...	...	...	...	...	...	...	...	1	...	...	...	1	...	1	...	...	...	1	...	1	...	...	...	5	...	5	9·43
53. Heart, Disease of	3	1	4	2	3	1	4	...	2	3	...	2	2	3	3	1	5	1	...	2	1	1	2	...	29	17	46	86·79
Monthly Totals of the Class...	3	1	4	2	3	1	5	...	3	4	...	2	3	3	4	1	5	1	1	2	2	1	2	...	35	18	53	99·99
VI.—OF THE DIGESTIVE ORGANS.																												
54. Teething	3	3	1	1	2	3	2	3	1	1	2	1	2	1	1	1	2	...	1	2	2	7	5	8	24	31	55	31·07
55. Gastritis	1	...	...	...	2	1	2	...	...	2	...	...	...	1	1	...	1	...	1	1	...	...	...	...	8	5	13	7·34
56. Enteritis	...	1	...	...	...	2	1	...	2	...	...	...	1	...	...	...	...	1	1	1	...	1	6	3	11	9	20	11·30
57. Peritonitis	1	1	...	1	1	...	...	...	1	1	1	2	...	...	1	1	...	...	1	...	1	1	...	...	7	7	14	7·91
58. Tabes Mesenterica	2	...	3	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	1	...	3	2	9	4	13	7·34
59. Worms	...	...	...	...	...	...	1	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	2	1	3	1·69
60. Ascites	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	2	1·12
61. Ulceration	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	1	...	4	...	4	2·26
62. Hernia	1	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	3	1	4	2·26
63. Colic or Ileus	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	2	...	4	...	4	2·26
64. Intussusception	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	2	3	1·69
65. Stricture, Intestinal	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
66. Hæmatemesis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
67. Stomach, &c., Disease of	1	...	...	...	...	...	1	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	2	...	5	1	6	3·39
68. Pancreas, Disease of	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
69. Hepatitis	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	2	2	4	2·26
70. Jaundice	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	2	...	2	1·13
71. Liver, Disease of	1	2	1	...	3	3	1	...	1	1	2	...	2	2	...	1	...	...	2	1	2	2	1	2	16	14	30	16·94
72. Spleen, Disease of	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
Monthly Totals of the Class...	13	7	7	2	10	10	8	5	6	6	7	4	5	6	3	3	4	1	11	7	6	11	20	15	100	77	177	99·96

H. 1.—continued.

DISEASES.	January		Feb.		March.		April.		May.		June.		July.		August.		Sept.		Oct.		Nov.		Dec.		Total.		Grand Total.	Per Centage of Total Deaths of the Class.
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
VII.—Of the Urinary Organs.																												
73. Nephritis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
74. Ischuria	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
75. Diabetes	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
76. Cystitis	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	3	...	3	21·42
77. Stone	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	2	...	2	14·28
78. Stricture of Urethra	...	...	...	...	...	...	...	...	...	...	1	...	1	2	...	...	...	...	...	...	...	...	1	...	3	2	5	35·71
79. Kidneys, &c., Disease of	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	...	3	1	4	28·57
Monthly Totals of the Class	...	...	...	1	...	...	1	...	...	...	2	...	1	2	2	...	...	...	3	...	1	...	1	...	11	3	14	99·98
VIII.—Of the Organs of Generation.																												
80. Childbirth	...	...	...	2	...	1	...	3	...	1	...	...	...	...	...	1	...	1	...	...	...	...	...	4	...	13	13	100·00
81. Paramenia	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
82. Ovarian Dropsy	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
83. Organs of Generation, Disease of	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
Monthly Totals of the Class	...	...	...	2	...	1	...	3	...	1	...	...	...	...	...	1	...	1	...	...	...	...	...	4	...	13	13	100·00
IX. Of the Organs of Locomotion.																												
84. Arthritis	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	10·00
85. Rheumatism	...	1	1	1	1	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	...	1	2	6	8	80·00
86. Joints, Disease of	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
*86. Caries	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	10·00
Monthly Totals of the Class	...	1	1	1	1	...	1	...	...	...	...	1	...	2	...	...	...	1	...	...	...	...	...	1	3	7	10	100·00
X.—Of the Integumentary System.																												
87. Carbuncle	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	1	50·00
88. Phlegmon	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
89. Ulcer	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
90. Fistula	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
91. Skin, Diseases of	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	1	50·00
Monthly Totals of the Class	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	2	...	2	100·00
XI.—Old Age.																												
92. Old Age:— Monthly Totals of the Class	3	3	2	2	1	3	1	2	2	...	1	1	1	1	...	4	1	...	3	...	5	3	...	1	20	20	40	100·00
XII.—External Causes.																												
93. Intemperance	...	...	...	2	1	...	...	...	...	...	3	1	1	...	...	...	1	...	1	1	1	...	...	...	8	4	12	14·81
94. Starvation	...	...	2	...	5	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	7	1	8	9·87
95. Violent Deaths	6	1	5	2	...	1	4	1	7	2	1	2	1	1	5	1	3	...	6	1	1	...	7	2	46	14	60	74·07
96. Sunstroke	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	1	1·23
Monthly Totals of the Class	6	1	7	4	6	1	4	1	7	3	4	3	2	1	5	1	4	...	7	2	2	...	7	3	61	20	81	99·98
Unspecified. Monthly Totals of the Class	3	4	1	1	1	2	...	1	2	...	2	...	...	2	3	1	2	2	4	...	...	2	1	2	19	17	36	100·00

H. 2.

Table shewing the actual number of Deaths of Males and Females registered in Sydney during each of the Twelve Months, from 1st January to 31st December, 1862, together with the average per centage of the total Deaths of the class.

CAUSES OF DEATH.	January		Feb.		March.		April.		May.		June.		July.		Aug.		Sept.		Oct.		Nov.		Dec.		Total.		Grand Total.	Per Centage of Total Deaths during 12 Months
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
1. Zymotic Diseases	17	11	8	10	13	9	6	9	9	13	7	14	6	6	9	6	4	6	19	10	23	6	16	28	137	128	265	19·17
Sporadic Diseases.																												
2. Of Uncertain Seat	11	10	9	7	7	11	7	4	12	6	12	7	7	11	8	6	7	4	9	8	7	7	12	16	108	97	205	14·83
3. Of Nervous System	7	7	7	6	13	12	13	5	10	9	9	11	7	8	10	8	5	8	12	9	9	5	11	10	113	98	211	15·26
4. Of Respiratory System	10	7	10	6	8	12	17	7	17	15	16	12	17	9	19	11	12	6	11	15	15	9	9	5	161	114	275	19·89
5. Of Circulatory System	3	1	4	2	3	1	5	...	3	4	...	2	3	3	4	1	5	1	1	2	2	1	2	...	35	18	53	3·83
6. Of Digestive Organs	13	7	7	2	10	10	8	5	6	6	7	4	5	6	3	3	4	1	11	7	6	11	20	15	100	77	177	12·80
7. Of Urinary Organs	...	...	...	1	...	...	1	...	...	...	2	...	1	2	2	...	...	...	3	...	1	...	1	...	11	3	14	1·01
8. Of Generative Organs	...	...	...	2	...	1	...	3	...	1	...	...	...	...	...	1	...	1	...	...	...	...	...	4	...	13	13	·94
9. Of Locomotive Organs	...	1	1	1	1	...	1	...	...	...	...	1	...	2	...	...	...	1	...	...	...	...	...	1	3	7	10	·72
10. Of Integumentary System	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	2	...	2	·14
11. Old Age	3	3	2	2	1	3	1	2	2	...	1	1	1	1	...	4	1	...	3	...	5	3	...	1	20	20	40	2·89
12. External Causes	6	1	7	4	6	1	4	1	7	3	4	3	2	1	5	1	4	...	7	2	2	...	7	3	61	20	81	5·86
Unspecified	3	4	1	1	1	2	...	1	2	...	2	...	...	2	3	1	2	2	4	...	...	2	1	2	19	17	36	2·60
Total from all Causes	73	52	56	44	63	62	63	37	68	57	60	55	49	51	63	42	45	30	80	53	71	44	79	85	770	612	1382	99·94

H 3.

TABLE shewing the DEATHS of MALES and FEMALES registered in each WARD of the CITY OF SYDNEY, from 1st January to 31st December, 1862, distinguishing those under 5 Years of Age.

WARDS.	Under 5 Years of Age.			Above 5 Years of Age.			Ages Unspecified.			Total.		Grand Total.
	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	
1. Gipps	44	56	100	33	42	75	3	1	4	80	99	179
2. Bourke	22	18	40	177	72	249	3	7	10	202	97	299
3. Brisbane	30	35	65	39	32	71	2	....	2	71	67	138
4. Macquarie	24	14	38	33	25	58	2	1	3	59	40	99
5. Cook	46	34	80	35	23	58	1	2	3	82	59	141
6. Fitzroy	63	41	104	67	52	119	2	....	2	132	93	225
7. Phillip	40	47	87	24	36	60	4	....	4	68	83	151
8. Denison	48	45	93	25	26	51	3	3	6	76	74	150
TOTALS	317	290	607	433	308	741	20	14	34	770	612	1,382

I 1.

TABLE shewing the actual number of DEATHS of MALES and FEMALES, from various causes, registered in the SUBURBAN DISTRICTS during each of the Twelve Months, from 1st January to 31st December, 1862, together with the per centage of the total Deaths of the Year, from each Disease, to the aggregate Deaths of the entire class to which such Disease belongs.

DISEASES.	Jan.		Feb.		March.		April.		May.		June.		July.		August.		Sept.		Oct.		Nov.		Dec.		Total.		Grand Total.	Per Centage of Total Deaths of the Class.
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
I.—ZYMOTIC.																												
1. Small Pox	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
2. Measles	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
3. Scarlatina	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	2	...	...	1	2	3	1·79
4. Hooping Cough	...	1	...	1	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	3	4	2·39
5. Croup	...	...	...	...	...	...	2	...	1	...	1	1	1	...	...	1	2	...	2	1	...	2	1	1	10	6	16	9·58
6. Thrush	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	3	1·79
7. Diarrhœa	5	4	5	1	3	5	2	3	6	1	...	...	...	...	1	...	1	1	4	1	8	9	7	9	42	34	76	45·50
8. Dysentery	1	5	2	4	1	1	2	5	...	2	...	1	...	1	1	...	2	1	...	1	2	2	2	3	13	26	39	23·33
9. Cholera	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	2	1·20
10. Influenza	...	...	...	...	...	...	...	...	...	1	1	...	...	...	1	...	...	...	...	...	...	...	...	...	2	1	3	1·79
11. Ague	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
12. Remittent Fever	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	1	...	...	...	...	...	...	...	2	...	5	5	3·00
13. Typhus	...	1	...	1	...	1	1	...	...	1	1	2	...	...	...	...	...	...	...	...	...	...	...	1	2	7	9	5·39
14. Erysipelas	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	1	1	...	...	...	1	...	...	1	4	5	3·00
15. Syphilis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	2	2	1·20
16. Hydrophobia	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
Monthly Totals of the Class	7	11	7	7	5	7	9	11	8	7	3	5	1	1	3	3	7	4	6	3	10	16	10	16	76	91	167	99·96
II.—OF UNCERTAIN OR VARIABLE SEAT.																												
17. Inflammation	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	1	0·62
18. Hæmorrhage	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	1	...	1	...	...	...	...	...	...	2	2	4	2·48
19. Dropsy	...	...	...	...	1	1	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	3	...	...	1	6	7	4·34
20. Abscess	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	2	...	...	1	...	...	1	2	4	6	3·72
21. Mortification	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
22. Purpura	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	0·62
24. Scrofula	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	0·62
23. Carcinoma	...	...	1	1	...	...	...	2	...	1	...	...	...	1	1	2	2	...	...	2	...	...	1	...	5	9	14	8·70
25. Tumour	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
26. Gout	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	2	...	2	1·24
27. Atrophy	2	2	1	3	1	5	3	2	2	1	1	1	2	1	2	...	1	1	1	2	3	3	4	3	23	24	47	29·19
28. Debility	4	9	2	1	4	6	5	2	4	3	3	4	2	3	1	2	3	3	1	1	1	2	6	3	36	39	75	46·58
29. Malformation	...	...	2	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	3	1·86
30. Sudden Death	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
Monthly Totals of the Class	7	11	7	5	6	12	8	7	7	5	7	6	4	5	4	5	7	8	2	5	5	8	12	8	76	85	161	99·97
III.—OF THE NERVOUS SYSTEM.																												
31. Cephalitis	...	2	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	3	3	6	4·80
32. Hydrocephalus	...	1	1	2	3	...	1	1	...	...	...	...	...	...	1	...	2	...	2	4	...	...	...	2	10	10	20	16·00
33. Apoplexy	...	...	...	...	...	1	...	...	1	1	...	...	...	1	...	1	...	1	...	2	1	...	1	...	3	7	10	8·00
34. Paralysis	...	...	...	...	...	1	2	...	...	...	...	...	1	...	1	1	...	...	...	1	...	...	1	...	5	3	8	6·40
35. Convulsions	2	4	1	2	3	2	...	3	6	1	5	1	1	4	1	...	3	2	4	4	4	2	1	1	31	26	57	46·60
36. Tetanus	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	1	2	1·60
37. Chorea	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
38. Epilepsy	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	2	1	3	2·40
39. Insanity	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
40. Delirium Tremens	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	2	1·60
41. Brain, Disease of	...	...	1	...	2	1	1	...	1	...	1	...	...	1	1	1	3	...	...	1	...	...	...	1	10	5	15	12·00
*41. Spine, Disease of	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	2	1·60
Monthly Totals of the Class	2	7	4	4	11	6	6	4	9	2	7	1	2	6	4	4	9	3	6	12	6	3	3	4	69	56	125	100·00

I 1—continued.

DISEASES.	January		Feb.		March.		April.		May.		June.		July.		August.		Sept.		Oct.		Nov.		Dec.		Total.		Grand Total.	Per Centage of Total Deaths of the Class.
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
IV.—Of the Respiratory Organs.																												
42. Laryngitis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
43. Quinsy	...	...	...	1	...	2	...	2	1	2	2	1	...	...	...	...	4	...	...	...	1	2	7	3	15	13	28	20·43
44. Bronchitis	...	...	3	...	...	1	...	1	...	2	2	1	1	2	1	2	1	...	3	...	1	...	1	...	13	9	22	16·05
45. Pleurisy	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	1	1	2	1·46
46. Pneumonia	...	2	...	1	2	1	2	3	1	...	2	...	...	1	...	...	...	2	...	3	4	...	2	...	13	13	26	19·00
47. Hydrothorax	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	0·73
48. Asthma	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	2	2	1·46
49. Phthisis or Consumption	2	2	1	1	...	1	2	3	2	1	...	2	4	2	2	2	2	2	3	1	2	3	1	1	21	21	42	30·65
50. Lungs, Disease of	...	1	2	1	...	...	...	...	...	...	2	...	3	1	...	1	...	1	...	1	...	1	...	...	7	7	14	10·22
Monthly Totals of the Class	2	5	6	4	2	5	4	9	4	5	8	4	8	6	3	5	8	6	6	8	8	6	11	4	70	67	137	100·00
V.—Of the Organs of Circulation.																												
51. Pericarditis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
52. Aneurism	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	1	4·34
53. Heart, Disease of	...	2	...	1	1	...	1	1	1	1	2	1	1	...	2	1	2	1	...	...	3	...	1	...	14	8	22	95·65
Monthly Totals of the Class	...	2	...	1	1	...	1	1	1	1	2	1	1	...	2	1	2	1	1	...	3	...	1	...	15	8	23	99·99
VI.—Of the Digestive Organs.																												
54. Teething	3	2	1	...	2	2	1	3	...	2	1	2	...	...	1	...	1	...	1	...	2	4	1	6	14	21	35	35·71
55. Gastritis	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	2	1	3	3·06
56. Enteritis	1	1	...	...	3	2	2	2	3	...	...	...	...	...	...	...	...	...	...	...	1	1	4	1	14	7	21	21·44
57. Peritonitis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	1	1·02
58. Tabes Mesenterica	...	...	1	1	...	3	1	1	...	...	...	...	...	...	...	...	1	...	...	...	1	2	...	...	4	7	11	11·22
59. Worms	...	...	...	...	...	...	...	1	...	1	...	...	...	...	1	...	...	...	...	...	...	...	1	...	2	2	4	4·08
60. Ascites	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
61. Ulceration	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	2	2	2·04
62. Hernia	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
63. Colic or Ileus	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	1	1·62
64. Intussusception	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	1	1·62
65. Stricture, Intestinal	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
66. Hæmatemesis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
67. Stomach, &c., Disease of	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	1	3	4	4·08
68. Pancreas, Disease of	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
69. Hepatitis	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	2	2	2·04
70. Jaundice	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1·02
71. Liver, Disease of	1	...	1	...	...	1	1	1	...	1	...	...	1	...	...	...	1	1	...	...	...	1	1	1	6	6	12	12·24
72. Spleen, Disease of	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
Monthly Totals of the Class	5	4	4	3	5	9	5	8	4	4	1	2	1	...	2	1	4	1	2	1	4	13	7	8	44	54	98	99·99
VII.—Of the Urinary Organs.																												
73. Nephritis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
74. Ischuria	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
75. Diabetes	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	1	20·00
76. Cystitis	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	20·00
77. Stone	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
78. Stricture of Urethra	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	3	60·00
79. Kidneys, &c., Disease of	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
Monthly Totals of the Class	1	...	...	...	...	...	1	1	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	4	1	5	100·00
VIII.—Of the Organs of Generation.																												
80. Childbirth	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2	100·00
81. Paramenia	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
82. Ovarian Dropsy	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
83. Organs of Generation, Disease of	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
Monthly Totals of the Class—	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2	100·00
IX.—Of the Organs of Locomotion.																												
84. Arthritis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
85. Rheumatism	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	...	...	2	1	3	100·00
86. Joints, Disease of	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
*86. Caries	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
Monthly Totals of the Class	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	...	...	2	1	3	100·00
X.—Of the Integumentary System.																												
87. Carbuncle	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	50·00
88. Phlegmon	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
89. Ulcer	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
90. Fistula	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
91. Skin, Diseases of	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	1	50·00
Monthly Totals of the Class	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	2	...	2	100·00
XI.—Old Age.																												
92. Old Age :—																												
Monthly Totals of the Class	...	2	...	1	4	...	1	...	1	...	1	...	2	...	1	1	2	3	1	...	1	3	...	...	14	10	24	100·00
XII.—External Causes.																												
93. Intemperance	...	2	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	2	...	1	...	...	...	4	3	7	16·66
94. Starvation	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	2·38
95. Violent Deaths	...	...	3	1	2	...	2	3	2	...	...	...	1	1	2	2	3	2	3	1	1	...	3	1	22	11	33	78·56
96. Sunstroke	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2·38
Monthly Totals of the Class	...	3	3	1	3	...	2	3	2	...	...	...	1	2	2	2	3	2	5	2	2	...	3	1	26	16	42	99·98
Unspecified :—																												
Monthly Totals of the Class	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....

I 2.

TABLE shewing the actual number of DEATHS of MALES and FEMALES, in each class, registered in the SUBURBAN DISTRICTS during each of the Twelve Months, from 1st January to 31st December, 1862, together with the average per centage of the total Deaths during the Twelve Months.

DISEASES.	JANUARY		FEB.		MAR.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPT.		OCT.		NOV.		DEC.		TOTAL.		GRAND TOTAL.	PER CENTAGE OF TOTAL DEATHS OF 12 MONTHS.
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
1. ZYMOTIC DISEASES	7	11	7	7	5	7	9	11	8	7	3	5	1	1	3	3	7	4	6	3	10	16	10	16	76	91	167	21·16
Sporadic Diseases.																												
2. OF UNCERTAIN SEAT	7	11	7	5	6	12	8	7	7	5	7	6	4	5	4	5	7	8	2	5	5	8	12	8	76	85	161	20·40
3. OF NERVOUS SYSTEM	2	7	4	4	11	6	6	4	9	2	7	1	2	6	4	4	9	3	6	12	6	3	3	4	69	56	125	15·84
4. OF RESPIRATORY SYSTEM	2	5	6	4	2	5	4	9	4	5	8	4	8	6	3	5	8	6	6	8	8	6	11	4	70	67	137	17·36
5. OF CIRCULATORY SYSTEM	...	2	...	1	1	...	1	1	1	1	2	1	1	...	2	1	2	1	1	...	3	...	1	...	15	8	23	2·91
6. OF DIGESTIVE ORGANS	5	4	4	3	5	9	5	8	4	4	1	2	1	...	2	1	4	1	2	1	4	13	7	8	44	54	98	12·42
7. OF URINARY ORGANS	1	...	...	...	...	...	1	1	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	4	1	5	0·63
8. OF GENERATIVE ORGANS	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2	0·25
9. OF LOCOMOTIVE ORGANS	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	...	...	2	1	3	0·38
10. OF INTEGUMENTARY SYSTEM	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	2	...	2	0·25
11. OLD AGE	...	2	...	1	4	...	1	...	1	...	1	...	2	...	1	1	2	3	1	...	1	3	...	...	14	10	24	3·04
12. EXTERNAL CAUSES	...	3	3	1	3	...	2	3	2	...	...	...	1	2	2	2	3	2	5	2	2	...	3	1	26	16	42	5·32
UNSPECIFIED	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
TOTAL FROM ALL CAUSES	24	46	31	26	37	39	37	44	37	25	30	19	21	20	21	22	43	28	29	31	40	50	48	41	398	391	789	99·96

J 1.

TABLE shewing the actual number of DEATHS of MALES and FEMALES, from various causes, registered in COUNTRY DISTRICTS during each of the Twelve Months, from 1st January to 31st December, 1862, together with the per centage of the total Deaths of the Year from each Disease, to the aggregate Deaths of the entire class to which such Disease belongs.

DISEASES.	JANUARY		FEB.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPT.		OCT.		NOV.		DEC.		TOTAL.		GRAND TOTAL.	PER CENTAGE OF TOTAL DEATHS OF THE CLASS.
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
I.—ZYMOTIC.																												
1. Small Pox	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
2. Measles	...	...	...	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	3	·35
3. Scarlatina	6	...	5	1	2	3	4	6	5	2	3	5	4	3	6	3	8	7	6	4	2	5	2	2	53	41	94	11·21
4. Hooping Cough	3	3	2	7	4	4	3	1	2	...	...	1	3	3	1	2	1	1	2	1	1	1	2	4	24	28	52	6·20
5. Croup	...	5	1	...	3	5	4	7	5	6	6	7	7	5	3	...	5	7	2	3	5	3	6	1	47	49	96	11·45
6. Thrush	...	2	1	1	...	...	1	1	...	2	...	...	1	1	...	...	...	1	1	...	...	...	...	2	4	10	14	1·67
7. Diarrhœa	7	9	3	9	13	13	11	10	5	4	2	...	3	2	2	3	2	...	3	4	6	6	14	18	71	78	149	17·78
8. Dysentery	7	12	13	6	26	14	15	7	12	6	10	5	5	2	4	...	4	1	5	1	11	4	23	16	135	74	209	24·94
9. Cholera	...	1	1	...	1	2	...	1	...	...	...	...	...	...	...	1	...	...	...	1	...	1	3	...	5	7	12	1·43
10. Influenza	2	1	1	1	...	...	1	3	1	...	2	1	1	...	4	2	...	1	...	1	1	1	1	1	14	12	26	3·10
11. Ague	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	1	·11
12. Remittent Fever	...	3	...	2	4	2	2	3	4	6	4	3	7	...	1	3	3	3	1	4	2	5	5	7	33	41	74	8·83
13. Typhus	4	1	5	3	8	6	8	7	9	3	9	...	5	1	1	3	3	1	1	1	...	2	4	4	57	32	89	10·62
14. Erysipelas	1	...	1	...	...	...	...	...	...	2	...	...	...	2	1	...	2	2	...	1	...	...	...	...	5	7	12	1·43
15. Syphilis	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	3	...	...	...	1	1	...	...	6	1	7	·83
16. Hydrophobia	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
Monthly Totals of the Class	30	37	33	31	62	49	49	46	44	31	37	22	37	19	23	17	31	24	22	21	29	29	60	55	457	381	838	99·95
II.—OF UNCERTAIN OF VARIABLE SEAT.																												
17. Inflammation	2	2	...	...	1	...	1	...	...	...	1	...	1	...	...	1	...	...	...	1	3	1	1	1	10	6	16	2·39
18. Hæmorhage	4	...	2	2	3	2	1	...	2	1	2	2	...	...	...	2	3	2	2	2	...	2	2	...	21	15	36	5·38
19. Dropsy	1	2	3	...	4	...	...	3	3	2	4	2	2	1	4	3	4	1	3	3	2	1	5	1	35	19	54	8·07
20. Abscess	2	2	2	1	3	...	1	1	1	...	1	2	...	...	...	...	4	1	...	...	...	...	...	...	14	7	21	3·13
21. Mortification	1	...	...	1	2	...	...	...	...	1	1	...	...	...	...	2	...	...	...	...	1	...	1	...	6	4	10	1·49
22. Purpura	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	2	...	2	·30
23. Scrofula	...	1	...	1	1	1	...	1	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	2	5	7	1·04
24. Carcinoma	...	2	...	3	2	1	2	1	3	3	2	2	4	3	1	1	1	2	4	...	2	...	4	3	25	21	46	6·87
25. Tumour	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	1	2	3	·44
26. Gout	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	1	·14
27. Atrophy	2	4	1	5	4	5	4	1	4	...	1	3	2	2	3	...	1	4	3	3	2	3	5	4	32	34	66	9·86
28. Debility	23	14	12	12	22	22	22	12	29	12	15	12	11	11	23	15	17	13	14	12	20	15	28	12	236	162	398	59·49
29. Malformation	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	2	1	3	·44
30. Sudden Death	1	...	...	...	...	...	1	...	1	...	...	...	1	...	...	...	...	...	2	...	...	...	...	...	6	...	6	·89
Monthly Totals of the Class	36	27	20	25	42	32	32	19	44	19	27	23	21	17	32	24	32	24	28	23	32	22	47	21	393	276	669	99·93
III.—OF THE NERVOUS SYSTEM.																												
31. Cephalitis	3	...	...	...	1	2	4	...	1	2	3	...	...	...	2	1	1	1	...	...	2	2	1	3	18	11	29	5·00
32. Hydrocephalus	8	2	6	1	4	2	2	2	3	1	...	...	2	2	2	1	...	2	4	3	1	...	4	4	36	20	56	9·65
33. Apoplexy	5	...	6	...	2	1	3	...	7	2	3	1	6	2	2	2	6	5	6	2	8	2	6	1	60	18	78	13·44
34. Paralysis	2	...	2	...	1	1	2	...	1	1	1	...	5	1	...	...	6	2	2	1	4	...	2	1	28	7	35	6·03
35. Convulsions	7	11	13	7	16	14	13	9	11	9	12	13	7	12	12	6	7	9	11	8	14	13	17	7	140	118	258	44·48
36. Tetanus	...	...	2	...	1	...	...	...	1	...	...	...	3	...	...	1	...	...	...	1	1	...	...	...	8	2	10	1·72
37. Chorea	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
38. Epilepsy	2	...	...	3	1	1	1	2	2	...	...	...	1	1	1	1	...	...	1	1	1	...	3	2	13	11	24	4·13
39. Insanity	1	1	1	...	2	1	1	...	3	...	...	...	...	...	3	...	2	1	3	...	...	3	2	2	18	8	26	4·48
40. Delirium Tremens	1	...	4	...	2	...	...	...	...	...	1	...	...	...	2	...	...	...	...	...	1	...	1	...	12	...	12	2·06
41. Brain, Disease of	4	6	2	...	2	1	5	1	9	...	3	1	...	...	...	1	1	1	2	...	...	...	5	3	33	14	47	8·10
*41. Spine, Disease of	...	...	...	...	...	1	1	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	3	5	·86
Monthly Totals of the Class	33	20	36	11	32	24	32	15	39	15	23	15	24	18	24	13	23	22	29	16	32	20	41	23	368	212	580	99·95

J 1—continued.

DISEASE.	January		Feb.		March.		April.		May.		June.		July.		August.		Sept.		Oct.		Nov.		Dec.		Total.		Grand Total.	Per Centage of Total Deaths of the Class.
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
IV.—Of the Respiratory Organs.																												
42. Laryngitis	...	1	...	...	...	...	1	1	1	...	1	2	1	2	...	2	2	...	3	2	...	...	1	...	10	10	20	2·61
43. Quinsy	12	10	6	6	13	14	12	9	12	15	19	10	10	16	7	6	11	7	11	6	3	7	11	7	127	113	240	31·41
44. Bronchitis	5	3	2	4	5	...	4	4	6	4	12	6	6	3	9	3	8	5	7	4	4	5	10	2	78	43	121	15·83
45. Pleurisy	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	3	...	1	...	1	...	...	...	6	1	7	·91
46. Pneumonia	2	3	4	...	5	4	10	1	10	...	11	7	8	6	12	2	5	12	10	4	6	3	10	3	93	45	138	18·06
47. Hydrothorax	...	...	...	...	1	...	1	1	...	...	...	...	...	...	...	1	1	...	...	...	1	...	...	...	4	2	6	·78
48. Asthma	1	...	6	...	...	...	...	...	...	...	2	...	1	...	2	1	2	...	2	1	1	1	1	...	18	3	21	2·74
49. Phthisis, or Consumption..	7	3	3	5	8	10	8	6	17	8	8	7	4	2	5	4	8	5	8	4	10	3	13	10	99	67	166	21·72
50. Lungs, Disease of	1	...	...	1	2	1	1	...	1	1	6	2	4	3	2	1	3	2	5	2	3	1	3	...	31	14	45	5·89
Monthly Totals of the Class	28	20	21	16	34	29	37	22	47	29	59	34	35	32	37	20	43	31	47	23	29	20	49	22	466	298	764	99·95
V.—Of the Organs of Circulation.																												
51. Pericarditis	2	...	...	...	...	...	2	...	2	...	...	...	...	1	...	...	1	...	1	...	...	...	...	...	8	1	9	7·03
52. Aneurism	1	1	...	...	...	...	...	...	3	...	1	...	1	...	...	...	...	...	1	...	...	...	...	1	7	2	9	7·03
53. Heart, Disease of	10	4	7	2	6	...	3	2	7	3	5	...	8	...	4	2	13	7	7	3	6	3	6	2	82	28	110	85·93
Monthly Totals of the Class	13	5	7	2	6	...	5	2	12	3	6	...	9	1	4	2	14	7	9	3	6	3	6	3	97	31	128	99·99
VI.—Of the Digestive Organs.																												
54. Teething	6	8	3	5	11	13	10	9	8	5	3	3	...	1	1	3	2	...	1	2	4	2	11	7	60	58	118	33·52
55. Gastritis	...	1	2	1	1	1	1	...	2	3	1	...	...	...	1	...	1	...	2	...	1	1	3	1	15	8	23	6·53
56. Enteritis	2	2	3	6	3	4	1	5	6	1	6	1	1	2	2	3	7	..	4	...	3	2	6	3	44	29	73	20·73
57. Peritonitis	...	...	...	...	1	1	...	1	2	...	1	...	1	...	...	...	1	1	...	2	...	...	1	...	7	5	12	3·40
58. Tabes Mesenterica	1	...	2	2	...	2	...	2	2	...	...	1	...	...	1	...	...	1	1	1	...	2	...	...	7	11	18	5·11
59. Worms	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	3	1	4	1·13
60. Ascites	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	·28
61. Ulceration	1	1	...	...	1	1	...	...	...	...	1	...	1	...	1	...	...	1	...	1	...	...	...	...	5	4	9	2·55
62. Hernia	1	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	1	1	1	...	...	...	4	2	6	1·70
63. Colic or Eleus	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
64. Intussusception	...	...	1	...	...	...	...	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	4	...	4	1·13
65. Stricture, Intestinal	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	·28
66. Hæmatemesis	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	·28
67. Stomach, &c., Disease of	...	1	...	...	1	1	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	3	2	5	1·42
68. Pancreas, Disease of	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
69. Hepatitis	1	...	1	1	1	...	...	...	1	1	2	1	1	...	...	...	1	...	...	...	2	...	4	...	14	3	17	4·82
70. Jaundice	1	...	...	1	1	...	1	...	1	1	1	...	2	1	1	1	1	...	...	2	...	...	...	...	9	6	15	4·26
71. Liver, Disease of	2	2	5	1	2	...	3	1	5	...	3	...	3	...	3	...	4	...	4	...	...	4	2	...	36	8	44	12·50
72. Spleen, Disease of	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	·28
Monthly Totals of the Class	18	15	17	17	22	23	17	18	29	11	21	6	9	5	12	8	18	4	13	9	11	11	27	11	214	138	352	99·92
VII.—Of the Urinary Organs.																												
73. Nephritis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	1	...	...	1	...	3	1	4	12·90
74. Ischuria	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
75. Diabetes	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	1	3·22
76. Cystitis	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	1	...	1	...	4	...	4	12·90
77. Stone	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	2	...	2	6·45
78. Stricture of Urethra	1	...	1	...	1	...	1	...	...	...	1	...	2	...	...	...	1	...	...	...	...	...	...	...	8	...	8	25·80
79. Kidneys, &c., Disease of	...	...	1	...	...	...	1	...	...	1	2	...	1	1	...	...	...	...	...	...	3	...	2	...	10	2	12	38·71
Monthly Totals of the Class	1	...	2	...	1	...	2	...	1	1	3	...	4	1	2	...	2	...	1	1	4	...	5	...	28	3	31	99·98
VIII.—Of the Organs of Generation.																												
80. Childbirth	...	4	...	3	...	5	...	4	...	5	...	5	...	5	...	3	...	6	...	2	...	1	...	5	...	48	48	96·00
81. Paramenia	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	2·00
82. Ovarian Dropsy	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	1	2·00
83. Organs of Generation, Disease of	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
Monthly Totals of the Class	...	4	...	3	...	5	...	4	...	5	...	5	...	5	...	3	...	7	...	2	...	2	...	5	...	50	50	100·00
IX.—Of the Organs of Locomotion.																												
84. Arthritis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	2	...	2	11·76
85. Rheumatism	1	...	2	2	2	1	1	...	...	...	1	1	...	...	1	...	...	...	...	1	1	...	...	...	9	5	14	82·35
86. Joints, Disease of	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
*86. Caries	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	1	5·88
Monthly Totals of the Class	1	...	2	2	2	1	1	...	...	...	1	1	...	...	1	...	1	...	...	1	3	...	...	...	12	5	17	99·99
X.—Of the Integumentary System.																												
87. Carbuncle	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	2	2	22·22
88. Phlegmon	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.....
89. Ulcer	...	...	...	...	...	...	1	1	...	...	...	...	...	...	1	...	...	...	...	...	2	...	...	...	4	1	5	55·55
90. Fistula	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	11·11
91. Skin, Diseases of	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	11·11
Monthly Totals of the Class	...	...	...	...	...	...	2	1	...	...	...	2	...	...	1	...	...	...	...	...	2	...	...	1	5	4	9	99·99
XI.—Old Age.																												
92. Old Age:— Monthly Totals of the Class	12	3	11	4	19	2	8	4	7	5	8	9	10	3	16	7	11	1	11	5	20	3	15	6	148	52	200	100·00
XII.—External Causes.																												
93. Intemperance	1	1	2	...	3	1	1	2	2	1	3	...	6	...	3	...	1	...	1	1	2	1	2	...	27	7	34	5·58
94. Starvation	...	...	...	...	...	1	...	...	...	...	1	...	1	...	1	...	1	...	2	...	...	...	2	...	8	1	9	1·47
95. Violent Deaths	50	15	31	6	41	11	35	4	33	11	43	11	31	14	33	13	30	11	27	11	30	11	46	10	430	128	558	91·62
96. Sunstroke	2	1	2	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	5	3	8	1·31
Monthly Totals of the Class	53	17	35	6	44	13	36	7	35	12	47	11	38	14	37	13	32	11	30	12	33	13	50	10	470	139	609	99·98
Unspecified:—																												
Monthly Totals of the Class	8	4	5	3	6	3	9	4	7	3	5	3	5	2	5	2	4	...	10	...	3	3	12	...	79	27	106	100·00

J 2.

Summary of Deaths of Both Sexes, registered in Country Districts, from 1st January to 31st December, 1862.

Diseases.	Jan.		Feb.		March.		April.		May.		June.		July.		August.		Sept.		Oct.		Nov.		Dec.		Total.		Grand Total.	Per Centage of Total Deaths during 12 months
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
1. Zymotic Diseases	30	37	33	31	62	49	49	46	44	31	37	22	37	19	23	17	31	24	22	21	29	29	60	55	457	381	838	19·25
Sporadic Diseases.																												
2. Of Uncertain Seat	36	27	20	25	42	32	32	19	44	19	27	23	21	17	32	24	32	24	28	23	32	22	47	21	393	276	669	15·36
3. Of Nervous System	33	20	36	11	32	24	32	15	39	15	23	15	24	18	24	13	23	22	29	16	32	20	41	23	368	212	580	13·32
4. Of Respiratory System	28	20	21	16	34	29	37	22	47	29	59	34	35	32	37	20	43	31	47	23	29	20	49	22	466	298	764	17·55
5. Of Circulatory System	13	5	7	2	6	...	5	2	12	3	6	...	9	1	4	2	14	7	9	3	6	3	6	3	97	31	128	2·94
6. Of Digestive Organs	18	15	17	17	22	23	17	18	29	11	21	6	9	5	12	8	18	4	13	9	11	11	27	11	214	138	352	8·08
7. Of Urinary Organs	1	...	2	...	1	...	2	...	1	1	3	...	4	1	2	...	2	...	1	1	4	...	5	...	28	3	31	·71
8. Of Generative Organs	...	4	...	3	...	5	...	4	...	5	...	5	...	5	...	3	...	7	...	2	...	2	...	5	...	50	50	1·14
9. Of Locomotive Organs	1	...	2	2	2	1	1	...	...	...	1	1	...	...	1	...	1	...	...	1	3	...	...	...	12	5	17	·39
10. Of Integumentary System	...	...	...	...	...	...	2	1	...	...	...	2	...	...	1	...	...	...	...	...	2	...	...	1	5	4	9	·20
11. Old Age	12	3	11	4	19	2	8	4	7	5	8	9	10	3	16	7	11	1	11	5	20	3	15	6	148	52	200	4·59
12. External Causes	53	17	35	6	44	13	36	7	35	12	47	11	38	14	37	13	32	11	30	12	33	13	50	10	470	139	609	13·99
Unspecified	8	4	5	3	6	3	9	4	7	3	5	3	5	2	5	2	4	...	10	...	3	3	12	...	79	27	106	2·43
Total from all Causes	233	152	189	120	270	181	230	142	265	134	237	131	192	117	194	109	211	131	200	116	204	126	312	157	2737	1616	4353	99·95

K.

Births and Deaths occuring at Sea, registered in the Colony of New South Wales, from 1st January to 31st December, 1862.

Where Registered.	Births.			Deaths.		
	Males.	Females.	Total.	Males.	Females.	Total.
Sydney	8	9	17	37	7	44
Newcastle	....	....	....	1	....	1
Totals	8	9	17	38	7	45

L.

RETURN of the REGISTRATION DISTRICTS, with the Names of the persons holding the Office of District Registrar, and Dates of Appointment.

District.	Name of Registrar.	Date of Appointment.
1. Sydney	The Registrar General	1 Jan., 1856.
2. Balmain	William Parker, Chemist	1 July, 1861.
3. Newtown	C. A. Newman, Schoolmaster	9 April, 1857.
4. Glebe	James Buckland, Schoolmaster	12 July, 1860.
5. Redfern and Botany	Henry R. Smith	19 Jan., 1857.
6. Paddington and Alexandria	George Warburton	28 Feb., 1856.
7. Concord	John Watts, Schoolmaster	3 Sept., 1860.
8. St. George	Henry Briggs	26 March, 1856.
9. St. Leonard's	R. D. Ward, Surgeon	28 Feb., 1856.
COUNTRY DISTRICTS.		
10. Albury	Edward Brown, C.P.S.	15 July, 1862.
11. Armidale	W. H. Muttow, Chemist	11 Sept., 1860.
12. Balranald — Hay	James Forsyth, C.P.S.	3 Oct., 1862.
12. Balranald — Balranald	John Russell	10 July, 1862.
12. Balranald — Bourke	John Garrett	10 July, 1862.
12. Balranald — Wentworth	John Davie	12 Dec., 1861.
13. Bathurst	James Beuzeville, Schoolmaster	28 Feb., 1856.
14. Berrima	G. H. Rowley, C.P.S.	10 Sept., 1860.
15. Binalong	Jeremiah Hough	14 Feb., 1859.
Young	A. F. Newman, C.P.S.	26 June, 1862.
16. Bombala	Thomas Fox, C.P.S.	22 Oct., 1856.
17. Braidwood	Henry Matthews	9 Jan., 1862.
18. Brisbane Water	Thomas Cade Battley, C.P.S.	9 July, 1856.
19. Broulee	W. Stewart Caswell, P.M.	28 Feb., 1856.
20. Camden	John Benson Martin, C.P.S.	14 Aug., 1856.
21. Campbelltown	George R. Evans, Schoolmaster	1 Oct., 1859.
22. Carcoar	Hugh M. Rowland, M.D.	4 Oct., 1856.
23. Cassilis	John Morris, C.P.S.	26 March, 1856.
24. Clarence Town	David Farquhar	30 March, 1857.
25. Cooma	John James Ryall	29 April, 1857.
26. Deniliquin	M. A. M'Kenna, C.P.S.	2 Jan., 1862.
27. Dubbo	William Monk	14 Oct., 1861.
Coonabarabran	George Frederick Poole, C.P.S.	7 April, 1862.
28. Dungog	Henry Gordon, C.P.S.	1 Nov., 1859.
29. Eden	P. J. Murray, P.M.	20 Feb., 1856.
30. Goulburn	Charles S. Alexander, C.P.S.	31 March, 1862.
31. Grafton	W. C. B. Wilson	26 March, 1856.
32. Gundagai	David Smith	26 March, 1856.
33. Hartley	Robert Ryate, Surgeon	29 April, 1857.
34. Kiama	W. D. Meares, C.P.S.	1 Oct., 1857.
35. Liverpool	Jeremiah L. Jones, J.P.	30 March, 1857.
36. Manning River	Jasper Creagh	15 May, 1856.
37. M'Donald River	John Prescud, Postmaster	21 Feb., 1859.
38. M'Leay River	W. H. Thornton, J.P.	29 June, 1857.
39. Maitland	Daniel Carter	14 Aug., 1856.
40. Moama	George Maunsell	26 Feb., 1861.
41. Molong	Andrew Ross, M.D.	29 June, 1857.
Forbes	W. F. Parker, C.P.S.	26 May, 1862.
42. Morpeth	John Keating	1 July, 1858.
43. Moulamein	Thomas Linton	13 July, 1860.
44. Mudgee	Stafford Henry Barnes	24 Dec., 1860.
45. Murrurundi	Henry Wheeler	1 April, 1858.
46. Muswellbrook and Merton	John O'Meara, C.P.S.	3 Oct., 1861.
47. Newcastle	John Burrowes	28 Feb., 1856.
48. Orange	W. T. Evans, C.P.S.	20 Feb., 1856.
49. Parramatta	Percy Simpson, J.P.	28 Feb., 1856.
50. Paterson	B. Newbury	22 March, 1858.
51. Patrick's Plains	Christian Poppenhagen	31 March, 1860.
52. Penrith	George T. Clarke, J.P.	20 Feb., 1856.
53. Picton	William R. Antill	30 March, 1857.
54. Port Macquarie	Frederick Becke	20 Feb., 1856.
55. Port Stephens	Henry Skillman	26 March, 1856.
56. Queanbeyan	Charles E. Newcombe, P.M.	1 Oct., 1857.
57. Raymond Terrace	William Gloag	28 Feb., 1856.
58. Richmond	John Ducker	5 Feb., 1862.
59. Richmond River	Charles Moore	12 July, 1856.
60. Ryde	George Miller Pope	30 March, 1857.
61. Rylstone	W. W. Armstrong	5 March, 1857.
62. Scone	James T. Wilshire, C.P.S.	29 Dec., 1862.
63. Shoalhaven	James Aldcorn	28 Feb., 1856.
64. Sofala	Thomas Corbett	27 June, 1856.
65. Tambaroora	Thomas Paten	6 Jan., 1858.
66. Tamworth	John M'Donald, C.P.S.	9 May, 1859.
67. Tenterfield	Richard W. Gill	27 June, 1861.
68. Tumut	Henry Hilton	20 Feb., 1856.
69. Ulladulla	John Done	31 Dec., 1857.
70. Wagga Wagga	Allen B. Morgan	16 Dec., 1857.
71. Warialda	John Geddes	16 July, 1860.
72. Wee Waa	C. E. Smith, P.M.	16 May, 1859.
73. Wellingrove	George Cobley	5 May, 1862.
74. Wellington	Frederick Marsh, C.P.S.	28 April, 1862.
75. Windsor	George Walker	19 March, 1860.
76. Wollombi	Thomas S. Townshend	31 March, 1862.
77. Wollongong	G. P. Lambert, M.D.	20 Feb., 1856.
78. Yass	John Stiles, C.P.S.	20 Feb., 1856.

Sydney: Thomas Richards, Government Printer.—1863.

[*Price*, 1*s*. 3*d*.]